

INDEX

Page numbers in bold-type refer to the beginning of a section or to the more detailed treatment of an entry. (T) denotes that an entry refers to a table.

- '(+)', stereodescriptor 572
 '(-)', stereodescriptor 572
 '(±)', stereodescriptor 572
 > sign, definition 2
 ζ sign, definition 2
 ~ sign, definition 2
 → arrow, definition 2
 'α'
 CA stereodescriptors until 1999 573ff.
 citation in names 572
meso ring structures 573
 steroids 516, 571
 terpenes 520, 571
 'α-carotene' 524
 'α-D' 498
 'α-L' 498
 'α-neuraminic acid' 495
 α terminus, polymers 532
 'β'
 carotenoids 524
 CA stereodescriptors until 1999 573ff.
 citation in names 572
meso ring structures 573
 steroids 516, 571
 terpenes 520, 571
 'β-alanine'/'β-alanyl-' 210, 490
 'β-carotene' 524
 'β-D' 498
 'β-L' 498
 'β-muramic acid' 495
 δ convention 4, 597
 'δ' 597
 'Δ', stereodescriptor, determination 583
 'ε', carotenoids 524
 η descriptor
 definition 4
 description of coordination site 438, 440ff.
 κ descriptor
 definition 5
 description of coordination site 438
 in ligand names with η descriptors 440
 'κ', carotenoids 524
 λ convention 5, 593, 594
 'λ' 594f.
 'Λ', stereodescriptor, determination 583
 μ descriptor
 definition 6
 in bridge-ligand names 454
 in polyborane names 397
 μ ligands, see bridge ligands
 'ξ'
 steroids 516, 571
 terpenes 520, 571
 π complexes, CIP convention 592
 π-ligands, see hapto ligands
 'φ', carotenoids 524
 'χ', carotenoids 524
 'ψ'
 nucleoside abbreviation 511
 carotenoids 524
 ω terminus, polymers 532
 'A', nucleoside abbreviation 510
 'A', stereodescriptor, determination 583
 'abeo-' 524, 541
 'abietane' 522
 '(4-abu)', ligand-name abbreviation 472(T)
 'Ac', ligand-name abbreviation 472(T)
 '(acac)', ligand-name abbreviation 443, 450, 472(T), 590
 '(acacen)', ligand-name abbreviation 472(T)
 'ACD' 537
 'aceanthrene' 87
 'aceanthrylene' 89(T)
 'acenaphthene' 87
 'acenaphth(o)-' 89(T), 102
 'acenaphthoquinone' 334
 'acenaphthylene' 89(T)
 '-acene' 89(T)
 'acephenanthrene' 87
 'acephenanthrylene' 89(T)
 'acetaldehyde' 327
 acetals 23(T), 24(T), 326, 411
 of monosaccharides 503
 of steroids 518
 'acetamide' 299, 300
 '(acetamidine)', ligand name 452
 'acetate' 190, 271, 273
 '(acetato-κO)', ligand name 445
 'acetic acid' 203
 'acetic anhydride' 258
 'acetoacetamide' 301
 'acetoacetic acid'/'acetoacetyl-' 209
 'acetohydrazonic acid' 216
 'acetoin' 336
 'acetone' 335
 'acetonedicarboxylic acid' 213
 'acetonitrile' 322
 '(acetonitrile)', ligand name 452(T)
 'acetyl', radical name 161
 'acetyl-', prefix 335
 'acetylum' 176
 'acetophenone' 337
 'acetoxy-' 275
 'acetyl' 165
 'acetyl'
 halide suffix 285
 ligand name 442(T)
 radical name 164
 'acetyl-'
 amides 303
 carboxylic acids 204
 esters 275
 isolated group 156
 ketones 335
 '(acetylacetonato)', ligand name for abbreviation 443, 450, 472(T), 590
 'acetylene' 55, 57
 'acetylidate' 188
 acetylides 458
 achiral core 559
 acid azides, seniority 24(T)
 acid halides 285
 boric acids 254
 boronic and borinic acids 255
 carbohydrate acids 498
 seniority 24(T)
 silicic acids 253
 suffixes 286(T)
 acids
 'Class-I' or 'Class-II' 268
 common or exotic 268
 of carbohydrates 497
 seniority 19ff.(T)
 'aci-nitro-' 18(T), 329, 340, 378
 'aconitane' 487
 'acridarsine' 91(T)
 'acridine', exception of numbering 93(T), 112
 'acridophosphine' 91(T)
 '1*H*-acrindoline' 94(T)
 'acrolein' 328
 'acrylaldehyde' 328
 'acrylamide' 301
 'acrylic acid'/'acryloyl-' 204
 'acyl', ligand name 442(T)
 acyl, definition 2
 acylals 326
 '(acylamido)', ligand names 449
 '(acylzanido)', ligand names 449
 acyl cation center 176f.
 'acyloin' 335, 337
 acyl radical center 163, 164
 acyl substituents
 at heteroatoms 25(T), 335, 337
 general naming 13
 As-acyl substituents 384, 386
 B-acyl substituents 399, 400
 Bi-acyl substituents 392, 393
 Ge-acyl substituents 404, 406
 N-acyl substituents 297, 313, 372
 P-acyl substituents 384, 386
 Pb-acyl substituents 404, 406
 Sb-acyl substituents 392, 393
 Si-acyl substituents 404, 406
 Sn-acyl substituents 404, 406
 'adamantane' 118
 'adamantyl-' 120
 'added hydrogen' 547
 'added' indicated H atom 547
 ketones 333
 addition compounds
 lit. 536
 molecular 36, 437
 additive names
 definition 3
 monosulfones, monosulfoxides, monosulfides, and analogs with replacement names 420
 O-, S-, Se, and Te-substituted S-, Se-, and Te-heterocycles 416
 pseudoketones 338
 additive nomenclature (see also additive names) 36
 '(ade)', ligand-name abbreviation 472(T)
 'adenine' 364, 510, 526
 '(adenine)', ligand name for abbreviation 472(T)
 'adenosine' 510
 '(adenosine)', ligand name for abbreviation 472(T)
 '(adenosine monophosphato)', ligand name for abbreviation 472(T)
 'adenylic acid' 511
 'adenyl-' 512
 'adipamide' 301
 'adipic acid'/'adipoyl-' 204

- '(ado)', ligand-name abbreviation 472(T)
 '(adp)', ligand-name abbreviation 472(T)
 'adrenaline' 365
 '(aet)', ligand-name abbreviation 472(T)
 affixes
 acid halides (IUPAC) 286(T)
 boronic and borinic acids 255
 definition 3
 polynuclear C-oxoacids 232
 polynuclear P- and As-oxoacids 249
 polynuclear S- and Se-oxoacids 239
 S-, Se-, and N-oxoacids 238
 S-, Se-, Te-, N-, Si-, and B-oxoacids 21(T)
 silicic acids 253
 sulfonic acids and analogs (IUPAC) 224
 'agaropectin' 507
 'AIBN' 323
 'ajmalan' 487
 '-al' 24(T), 327
 carotenoids 524
 '(ala)', ligand-name abbreviation 472(T)
 'alaninal' 328
 'alaninate' 220
 '(alaninato)', ligand name for abbreviation 472(T)
 'β-alanine'/β-alanyl' 210, 490
 'alanine'/alanyl' 210, 490
 '-alaninium' (+ E') 174
 alcohols 347
 amino acids 491
 'Class-I' and 'Class-II' 268f.
 common and exotic 268f.
 functional-class nomenclature 38
 of peptides 492
 seniority 25(T)
 Si compounds 404, 406
 aldaric acids 497
 '-aldehyde' 327
 aldehyde hydrate 349
 aldehyde hydrazones 325, 330
 'aldehyde imine' 197
 aldehyde oximes 325, 329
 aldehydes 325
 amino acids 491
 of peptides 492
 seniority 24(T)
 aldehydic acids 209
 'aldehydo' 330
 'aldimine' 368
 alditols 497
 aldonic acids 497
 aldose parent names 496
 aldoses 496
 aldosesuloses 496
 'aldoxime' 331
 alduronic acids 497
 '-alene' 89(T)
 'alka-' 55
 alkaloids 487, 518
 '(alkanaminido)', ligand names 449
 alkanes 55
 'alkanido', ligand name 442
 'alkan(o)-', bridge name 125
 alkenes 55
 'alk[x]en(o)-', bridge name 125
 alkoxy-carboxylic acids 208f.
 'alkyl', ligand name 442(T)
 alkyl, definition 2
 '(alkylazanido)', ligand names 449
 alkyl halides, functional-class nomenclature 38
 '(alkyloxy)', ligand name 442(T)
 alkynes 55
 'alk[x]yn(o)-', bridge name 125
 'allene' 55, 57
 'allo-' 494
 'allocystathionine' 491
 'allo-inositol' 509
 'alloisoleucine'/alloisoleucyl-' 211
 'allophanic acid'/allophanyl-' 231
 'allophanyl-' 305
 'allose' 494
 'allothreonine'/allothreonyl' 212, 491
 'alloxane' 309
 'allyl-' 56
 'allyl alcohol' 348
 alphabetical order 53
 affixes in S-, Se-, and N-oxoacid names 238
 attached-component names 97
 bridge-ligand names 454
 bridge names 124
 cation names 220, 234, 249, 279, 456
 class terms 290
 higher-order-attached-component names 106
 'hydro-' 36, 541
 in acyl names of acid halides 288, 292
 in acyl prefixes
 of amides 303, 305, 308
 of esters 275, 276, 277, 278
 of ketones 335
 infixes
 in carboxylic acid names 19(T), 214, 216, 218
 in C-oxoacid names 230
 in P- and As-oxoacid names 22(T), 245
 in peroxy acid names with suffix 19(T)
 in sulfonic acid names and analogs 19(T), 224, 225, 226
 italic element symbols in ligand names 438
 ligand abbreviations in formulas of coordination compounds 472(T)
 ligand formulas in formulas of coordination compounds 472(T)
 ligand names 456, 458, 461
 ligand names of polynuclear coordination compounds 464, 465
 parent-component letters 103
 parent-substituent names 53
 prefixes 14, 53
 primary-attached-component names 105
 substituent prefixes
 in amine names 360
 in ester names 270, 273
 in hydrazide names 314
 in hydrazone names 330, 341
 subtractive prefixes 541
 alphanumerical locants, see locants
 alphanumerical order 53
 'altro-' 494
 'altrose' 494
 '(ama)', ligand-name abbreviation 472(T)
 ambiguities, avoidance by choice of multiplying affixes 539
 'ambrane' 523
 '-amic acid' 210, 301
 '-amidato', ligand name 444
 'amide' 304, 306, 307
 '-amide' 24(T), 298(T)
 anion 190
 '-amide hydrazone' 302
 amides 295
 amino acids 491
 boric acids 254
 boronic and borinic acids 255
 carbohydrate acids 498
 cyclic 295
 primary 297f.
 replacement names 61
 secondary 299
 seniority 24(T)
 silicic acids 253
 suffixes 298(T)
 tertiary 299
 '-amidinato', ligand name 450, 464
 '-amidine' 298(T)
 amidines 295
 seniority 24(T)
 'amidino-' 233, 298(T), 317
 '-amidium' (+ E') 173
 'amido', ligand name 438, 442(T)
 'amido-', affix in S-, Se-, and N-oxoacid names 238
 '-amid(o)-', infix in P- and As-oxoacid names 245
 '-amido-' 303
 'amidogen' 163
 '-amidogen' 164
 'amidosulfonyl chloride' 290
 'amidosulfuric acid' 239
 '-amidoxime' 298(T), 302
 'amidrazone' 314
 '-amidrazone' 298(T)
 '-amidyl' 164
 '-amidylum' 177
 aminals 326, 359
 '-aminato', ligand name 444
 '-amine' 25(T), 360
 amine oxides 25(T)
 amine N-oxides 363
 amines 359
 N-alkylidene-substituted primary 362
 primary, secondary, and tertiary 359
 seniority 25(T)
 '-aminium' (+ E') 173
 'amino-' 25(T)
 amines 360
 N-heterochains 64
 '-amino-'
 amides 303ff.
 amines 360
 S-, Se-, Te-, and N-oxoacids 240
 amino acids 210, 490
 acid halides 287
 alcohols 491
 aldehydes 491
 amides 299, 491
 anhydrides 491
 esters 271, 491
 hydrazides 491
 nonstandard 492
 stereodescriptors 571
 amino acid sequence names 299, 492
 aminoaldehyde 327
 '(aminocarbonyl)-' 20(T), 24(T), 216, 298(T)
 aminocarboxylic acids, see amino acids
 '(aminohydrazonomethyl)-' 298(T)
 '(aminoiminomethyl)-' 298(T)
 '(aminomalonato)', ligand name for abbreviation 472(T)
 '(aminoxy)-' 363, 375
 '(aminoseleninyl)-' 298(T)
 '(aminoseleno)-' 298(T)
 '(aminoselenonyl)-' 298(T)
 '(aminosulfinothioyl)-' and analogs 298(T)
 '(aminosulfinyl)-' 298(T)
 '(aminosulfonimidoyl)-' 298(T)
 '(aminosulfonohydrazonoyl)-' 298(T)
 '(aminosulfonothioyl)-' and analogs 298(T)
 '(aminosulfonyl)-' 20(T), 225, 298(T)
 '(aminotellurinylyl)-' 298(T)
 '(aminotelluro)-' 298(T)
 '(aminotelluronyl)-' 298(T)
 '(aminothio)-' 298(T), 363, 375
 '(aminothioxomethyl)-' and analogs 298(T)
 '[aminotris(hydroxymethyl)methane]', ligand name for abbreviation 484(T)
 '[aminotris(methylenephosphonato)]', ligand name for abbreviation 472(T)
 'aminoxyl' 163
 'aminyl' 163
 '-aminyl' 164
 '-aminylene' 164
 '-aminylum' 177

- '-aminylumyl', radical cation 200
 'ammine', ligand name 438, 452(T)
 'ammonia' 63
 'ammonio-' 182
 'ammonium' 170
 ligand name 453(T)
 '-ammonium' (+ E⁺) 174
 '(amp)', ligand-name abbreviation 472(T)
 'amyl-' 59
 '-an', homoglycans 507
 'a' names, see replacement names
 'androstane' 516
 '-ane'
 carbomonocycles 67
 Hantzsch–Widman names 78(T)
 heterochains 61ff.
 heteromonocycles 82
 hydrocarbon chains 55
 spiropolycycles 134
 von Baeyer bridged polycycles 118
 '([9]aneN₃)', ligand-name abbreviation 472(T), 482(T)
 '([12]aneN₄)', ligand-name abbreviation 472(T), 474(T)
 '([14]aneN₄)', ligand-name abbreviation 472(T), 474(T)
 '([18]aneP₄O₂)', ligand-name abbreviation 472(T)
 '([9]aneS₃)', ligand-name abbreviation 472(T)
 '([12]aneS₄)', ligand-name abbreviation 472(T)
 '([9]aneSN₂)', ligand-name abbreviation 590
 angular bridgeheads, indicated H atom 549
 angular center
 angular heteroatom in peripheral numbering of fused polycycles 108
 saturated, in cyclic molecular-skeleton parents 97, 547
 'anhydride' 258
 anhydrides 257
 amino acids 491
 boric acids 254, 259
 boronic and borinic acids 255, 259
 carbohydrate acids 498
 cyclic 23(T), 257
 exception of the seniority 23(T)
 of three or more different acids 263
 polynuclear C-oxoacids 232, 259, 262
 polynuclear P- and As-oxoacids 249, 259, 262
 polynuclear S- and Se-oxoacids 239, 259, 262
 replacement names 61
 seniority 23(T)
 silicic acids 253, 259
 symmetrical acyclic 258f.
 unsymmetrical acyclic 260
 'anhydride with...' 260
 'anhydro-' 38, 541
 monosaccharides 503
 'anhydroselenide' 258
 anhydroselenides 257
 'anhydrosulfide' 258
 anhydrosulfides 257
 'anhydrotelluride' 258
 anhydrotellurides 257
 '-anilic acid' 210, 301
 '-anilide' 301
 anilides 301
 'aniline' 360
 'anilino-' 360
 anils 362, 368
 anion center
 at characteristic group (– H⁺) 190
 at molecular-skeleton parents (– H⁺) 188
 by formal addition of H⁺ 193
 by formal removal of H⁺ 188
 anions 187
 seniority 19(T)
 anion substituents, prefixes 193
 'anisaldehyde' 331
 'anistic acid'/'anisoyl-' 209
 'anisidine' 364
 'anisole' 412
 annulenes 67, 95, 101
 anomeric center 498
 'anthra-' 89(T), 102
 'anthracene', exception of numbering 89(T), 112
 'anthranilamide' 301
 'anthranilic acid' 491
 'anthranilic acid'/'anthraniloil-' 210
 'anthraquinone' 334
 'anthrazine' 94(T)
 '-anthrene' 91(T)
 'anthrol' 347
 'anthrone' 334
 'anthryl-' 88
 'anthryridine' 93(T)
 'anti'
 CA stereodescriptors until 1999 573ff.
 citation in names 572
 von Baeyer bridged polycycles 120, 573
 'antimonate' 253
 'antimonic acid' 253, 395
 'antimonous acid' 253
 antimony compounds, see Sb compounds
 antimony-containing oxoacids, see Sb-oxoacids
 'antimony ion (Sb³⁺)' 188
 'apiose' 503
 'apo' names, carotenoids 525
 Appendix IV 1
 'a' prefixes, see heteroatom syllables
 'aqua', ligand name 438, 452(T)
 'aR' 561
 'ar-', locants 50
 Arabic numerals, locants 49
 'arabino-' 494
 'arabinose' 494
 'arachic acid' 204
 'arachidonic acid' 204
 'aracytidine' 505
 'arene' 85
 'arenido', ligand name 442
 'areno-', bridge name 128
 '(arg)', ligand-name abbreviation 472(T)
 '(argininato)', ligand name for abbreviation 472(T)
 'arginine'/'arginyl-' 210, 490
 '-aric acid' 497
 aromaticity, transformation convention in the CIP system 562
 arrow names
 oligonucleotides 512
 oligosaccharides 505
 arrow →, definition 2
 'arsa-' 543(T)
 'arsane' 63, 385
 'arsanilic acid' 491
 'arsanthrene' 91(T)
 'arsanthridine' 91(T)
 'arsenane' 78(T)
 'arsenate' 243
 'arsenate' 244
 'arsenic acid' 244
 arsenenic acids, seniority 22(T)
 'arsenite' 244
 'arsenous acid' 244
 arsenous acids, seniority 22(T)
 'arsenic acid' 243
 arsenic acids, seniority 22(T)
 arsenic compounds, see As compounds
 arsenic-containing oxoacids, see As-oxoacids
 'arsenide' 188
 'arsenido', ligand name 443(T)
 'arsenin' 78(T)
 'arsenite' 243
 'arsenoso-'
 As-oxoacids 247
 esters 277
 '(arsenosoamino)-' 308
 'arsenous acid' 243
 'arsinate' 243
 '1H-arsindole' 91(T)
 'arsindolizine' 91(T), 93(T)
 'arsine' 26(T), 63, 385
 'arsine imide' 367, 386
 'arsine oxide' 386
 'arsine sulfide' and analogs 386
 'arsinic acid' 243
 '-arsinic acid' 22(T), 244
 arsenic acids, seniority 22(T)
 'arsinico-' 22(T), 153, 248, 386
 'arsinidene', ligand name 443(T)
 'arsinidene-'
 As-heterochains 385
 As-oxoacids 247, 248
 'arsinidenio-' 182
 'arsinidyne-'
 As-heterochains 385
 As-oxoacids 247
 'arsinimyl-'
 As-heterochains 386
 As-oxoacids 247, 248
 'arsinimylidene-', As-oxoacids 247, 248
 'arsinite' 244
 'arsino', ligand name 443(T)
 'arsino-'
 As-heterochains 64, 385
 As-oxoacids 247, 248
 'arsinoline' 91(T)
 '4H-arsinolizine' 91(T), 93(T)
 'arsinothioyl-' and analogs
 As-heterochains 386
 As-oxoacids 247, 248
 'arsinothioylidene-' and analogs
 As-heterochains 386
 As-oxoacids 247, 248
 'arsinothioylidene-' and analogs
 As-heterochains 386
 As-oxoacids 247
 'arsinous acid' 244
 '-arsinous acid' 22(T), 244
 arsenous acids, seniority 22(T)
 'arsinoyl-' 247
 'arsinyl', ligand name 442(T)
 'arsinyl-'
 As-heterochains 386
 As-oxoacids 247, 248
 'arsinylidene-'
 As-heterochains 386
 As-oxoacids 247, 248
 'arsinylidene-', As-oxoacids 247
 'arso-'
 As-heterochains 386
 As-oxoacids 247
 esters 277
 '(arsoamino)-' 308
 'arsolene' 77
 'arsonate' 243
 'arsonic acid' 243
 '-arsonic acid' 22(T), 244
 arsonic acids, seniority 22(T)
 'arsonio-' 182
 'arsonite' 243
 'arsonium' 170, 175
 'arsono-'
 As-heterochains 386
 As-oxoacids 22(T), 247
 esters 277
 prefix 153
 '(arsonoamino)-' 308

- 'arsononitridyl'-
As-heterochains 386
As-oxoacids 247
'arsononitrylidene-', As-oxoacids 247
'arsonous acid' 243
'-arsonous acid' 22(T), 244
arsonous acids, seniority 22(T)
'arsonoyl-' 248
'arsorane' 26(T), 63, 385
'arsoranyl-', As-heterochains 385
'arsoroso-', As-heterochains 386
'arsoryl-' 248
'aryl', ligand name 442(T)
'aryl-' 85
aryl, definition 2
As compounds 383
seniority 26(T)
As-heterochains 384
As-heterocycles 383
As-oxoacids 243
salts 243, 249
seniority 22(T)
'aS' 561
'ascorbic acid' 495, 527
'(asn)', ligand-name abbreviation 472(T)
'(asp)', ligand-name abbreviation 472(T)
'asparaginate' 221
'(asparaginato)', ligand name for abbreviation 472(T)
'asparagine' 299
'asparagine'/ 'asparaginyll-' 210, 490
'aspart-1-al' 328
'aspartate' 221
'(aspartato)', ligand name for abbreviation 472(T)
'aspartic acid'/ 'aspartoyl-'/ 'aspartyl-' 210, 490
'aspartyl-' 492
'aspidospermidine' 487
assignment rules 560
'astata-' 543(T)
'astato', ligand name 442(T)
'astato-' 18(T), 429
'astatyl-' 18(T), 429
'a' syllables, see heteroatom syllables
'asymmetric atom', see chirality center
'-ate'
acid anion (salt) 19(T), 190, 220, 227, 234, 249
central-atom names 461, 464, 465f., 543(T)
esters 23(T), 270, 273, 279
'atisane' 523
'(atmp)', ligand-name abbreviation 472(T)
'-ato', ligand names 442, 444
'-ato-', anion (prefix) 193
atomic numbers 543(T)
sequence rules 566
zero, for dummy atoms in the CIP system 562
'(atp)', ligand-name abbreviation 472(T)
'atropic acid'/ 'atropoyl-' 204
attached component
at another attached component *and* at a parent component 95, 114
benzoheteromonocycle 96
central 105
definition 3
multiple occurrence 101, 105
names 101ff.
primary, fusion side 103
senior (choice) 101
attached-component locants 103
'AutoNom' 537
axial chirality, see chirality axis, stereogenic axis
'aza-' 541, 543(T)
'azane', parent name 360, 368
'(azanolato)', ligand names 450
'azaphospholine' 77
'azelaic acid'/ 'azelaoyl-' 204
'azetine' 77
'azi-', N-heterochains 64, 147, 373
'azide' 285ff.
anion 237
azides, see acid halides
'azido', ligand name 438, 443(T)
'azido-' 18(T), 288, 292, 378
affix in S-, Se-, and N-oxoacid names 238
'-azid(o)-', infix in names
of C-oxoacids 229
of P- and As-oxoacids 245
'azidothymidine' 382
'azimino-', bridge name 126(T)
azines 23(T), 24(T), 325, 330, 333, 341
'azinic acid' 238, 329, 340, 379
'azino-'
bridge name 126(T)
hydrazides 315
hydrazones 330, 341
multivalent substituent 34(T)
N-heterochains 64, 147, 373
'azinoyl-' 238, 363
'azo-'
bridge name 126(T)
hydrazides 315
hydrazones 330, 341
multivalent substituent 34(T)
N-heterochains 64, 147, 373
'azobenzene' 373
'2,2'-azobis[isobutyronitrile]' 323
azo compounds 372
'azodicarboxylic acid' 207
'azomethine imine' 195
azomethines 362, 368
'azomethine ylide' 197
'azonaphthalene' 373
'azonia-' 541, 543(T)
'azonic acid' 238
'azono-' 238
'azonoyl-' 238
'azoxy-' 339
multivalent substituent 34(T)
N-heterochains 374
'azoxybenzene' 339, 374
azoxy compounds 374
'AZT' 382
'azulene' 89(T)

B compounds 397
lit. 536
seniority 27(T)
B-heterocycles 391, 398
B-oxoacids 253
seniority 23(T)
'barbituric acid' 309
'barium salt (1:1)' 233
base component, see parent component
Baughton system 599, 601
'(2,3-bdta)', ligand-name abbreviation 472(T)
'benzal chloride' 431
'benzaldehyde' 327
'benzaldoxime' 329
'benzamide' 299, 300
'benzedrine' 364
'benzene' 67
'benzeneazothene' 373
'benzenediazohydroxide' 375
'benzenethiolate' 191
'benzenetrithiosulfonic acid' 224
'benzenetriyl-' 149
'benzen(o)-', bridge name 125, 126(T), 541
'benzhydrol' 351
'benzhydryl-' 69
'benzhydryl alcohol' 351
'benzidine' 360

B compounds 391, 458
seniority 26(T)
Bi-heterochains 392
Bi-oxoacids 253
seniority 23(T)
'bi-' 141, 539
'biacetyl' 335
'bicyclo-' 117, 541
'(big)', ligand-name abbreviation 474(T)
'biguanide' 305
'(biguanid-3-ido)', ligand name for abbreviation 474(T)
'biguanidine' 304
'(biim)', ligand-name abbreviation 474(T)
'(2,2'-biimidazolato)', ligand name for abbreviation 474(T)
'-biimine' 124
'biimino-', bridge name 124, 126(T)
bile pigments 529
'bimetalocene' 460
'bimol. monoanhydride' 259
'(binap)', ligand-name abbreviation 474(T), 590
'biotin' 526
'biphenyl' 141
'[1,1'-biphenyl]-4,4'-diyl-', multivalent substituent 34(T)
'biphenylene' 89(T)
'bis-' 539
'[bis(acetylacetonato)ethylenediamine]', ligand name for abbreviation 472(T)

- '[1,2-bis(dimethylphosphino)ethane]', ligand name for abbreviation 476(T)
- '(1,2-[bis(dimethylphosphino)ethane]', ligand name for abbreviation 476(T)
- '[bis(dimethylphosphino)methane]', ligand name for abbreviation 476(T)
- '[1,2-bis(diphenylphosphino)ethane]', ligand name for abbreviation 476(T)
- '[bis(diphenylphosphino)methane]', ligand name for abbreviation 476(T)
- '[1,3-bis(diphenylphosphino)propane]', ligand name for abbreviation 476(T)
- 'bisma-' 543(T)
- 'bismuthane' 63, 392
- 'bismuthate' 253
- bismuth compounds, see Bi compounds
- bismuth-containing oxoacids, see Bi-oxoacids
- 'bismuthine' 26(T), 63, 392
- 'bismuthine imide' 367, 393
- 'bismuthine oxide' 393
- 'bismuthine sulfide' and analogs 393
- 'bismuthino-', ligand name 443(T)
- 'bismuthino-' 64, 392
- 'bismuthonia-' 543(T)
- 'bismuthonio-' 182
- 'bismuthonium' 170
- 'bismuthylene', ligand name 443(T)
- 'bismuthylene-' 392
- 'bismuthylidene-' 392
- '[bis(salicylidene)diethylenetriaminato]', ligand name for abbreviation 482(T)
- '[bis(salicylidene)ethylenediaminato]', ligand name for abbreviation 482(T), 588
- '[bis(salicylidene)propylenediaminato]', ligand name for abbreviation 482(T)
- '[bis(salicylidene)trimethylenediaminato]', ligand name for abbreviation 482(T)
- '[bis(thiosalicylidene)ethylenediaminato]', ligand name for abbreviation 484(T)
- 'bisulfite' addition compounds, lit. 536
- 'biuret' 305
- block polymers 534
- 'Blue Book' 1, 3
- '(bn)', ligand-name abbreviation 474(T)
- boldface printing, in names 2
- bond descriptor in coordination names 463, 464, 466f.
- bonding number 3, 543(T), 593, 594, 597
- 'bora-' 543(T)
- 'borane' 400
- 'borane(1)' 161
- 'borane(2)' 161, 400
- boranes 259, 400
- 'boranthrene' 91(T)
- 'boranyl-' 400
- 'borate' 254
- '[borato(1-)]', ligand name 444
- 'borazine' 75
- 'boric acid' 254, 400
- boric acids
- anhydrides 259
- B-oxoacids 254
- formal acid halides 292
- formal amides 308
- formal cyclic esters 271, 273
- formal hydrazides 318
- salts 254
- seniority 23(T)
- 'borin' 78(T)
- 'borinane' 78(T)
- 'borinate' 255
- 'borinic acid' 255
- '-borinic acid' 23(T)
- borinic acids
- anhydrides 259
- B compounds 400
- B-oxoacids 254
- formal acid halides 292
- formal amides 308
- hydrazides 318
- seniority 23(T)
- 'bornane' 520
- 'bornene' 521
- 'borneol' 351
- 'boronate' 255
- boron compounds, see B compounds
- boron-containing oxoacids, see B-oxoacids
- 'boronic acid' 254
- '-boronic acid' 23(T)
- boronic acids
- anhydrides 259
- B compounds 400
- B-oxoacids 254
- formal acid halides 292
- formal amides 308
- hydrazides 318
- seniority 23(T)
- 'borono-' 23(T), 153, 400
- 'boroxin' 75
- 'borthiin' 75
- 'boryl-' 400
- 'borylene-' 400
- bridge name 126(T)
- 'borylydine-' 400
- bridge name 126(T)
- '(bpy)', ligand-name abbreviation 474(T)
- '(4,4'-bpy)', ligand-name abbreviation 474(T)
- 'bradykinin' 493
- branched polyphenyls
- ring-assembly substituents 152
- bridged fused polycycles 95, 123
- charged, indicated H atom 551
- indicated H atom 548ff.
- saturated or partially saturated 128
- bridged fused-polycycle substituents, prefixes 128, 149, 150
- bridge ligands 453, 463, 465, 467
- bridge names 125ff., 126(T)
- bridges
- bridged fused polycycles 123
- choice (seniority) for bridged fused polycycles 124
- choice (seniority) for von Baeyer bridged polycycles 119
- dependent 124
- independent 124
- von Baeyer bridged polycycles 118
- 'broma-' 543(T)
- 'bromide' 285ff.
- bromides, see acid halides
- 'bromo', ligand name 442(T)
- 'bromo-' 18(T), 288, 292, 429
- '(bromofonyl)-' 288
- 'bromonio-' 182
- 'bromonium' 170
- 'Bu', ligand-name abbreviation 474(T)
- 'bufalone' 518
- bufanolides 516
- 'bullyvalene' 121
- 'buta-' 540(T)
- 'butan(o)-', bridge name 126(T)
- 'but[2]en(o)-', bridge name 126(T)
- 'butoxide' 191
- 'butoxy', radical name 165
- '(sec-butoxy)-', ethers 412
- '(tert-butoxy)-', ethers 412
- 'butoxy-' 18(T)
- alcohols 351
- esters 277
- ethers 412
- '-butoxy-', esters 275
- '(sec-butyl)-' 57
- '(tert-butyl)-' 57
- 'butyl alcohol' 348
- 'tert-butyl peroxide' 410
- 'butyramide' 301
- 'butyric acid'/'butyryl-' 204
- ' γ -butyrolactone' 268
- 'Bz', ligand-name abbreviation 474(T)
- '(bzac)', ligand-name abbreviation 474(T)
- '(bzim)', ligand-name abbreviation 474(T)
- '(bztz)', ligand-name abbreviation 474(T)
- 'c', stereodescriptor 573
- 'C', nucleoside abbreviation 511
- 'C', stereodescriptor, determination 583
- '¹³C' 599(T)
- C compounds 425
- seniority 27(T)
- C-oxoacids 229
- salts 233
- seniority 21(T)
- CA 1
- Internet 537
- nomenclature guidelines 1
- stereodescriptors until 1999 573ff.
- 'cadaverine' 364
- Cahn-Ingold-Prelog system, see CIP system
- Cahn's example 566
- 'calciocene' 460
- 'calciol' 527
- 'caldine' 364
- 'camphanic acid'/'camphanoyl-' 208
- 'camphene' 521
- 'camphor' 521
- 'camphoric acid'/'camphoroyl-' 205
- CA names (see also index names), definition 3
- 'capric acid' 204
- 'caproic acid' 204
- 'caprylic acid' 204
- 'carane' 520
- 'carba-' 397, 543(T)
- 'carbadizone' 316, 326, 374
- '-carbaldehyde' 24(T), 327
- 'carbamate' 190, 234, 271
- 'carbamic acid' 21(T), 230
- 'carbamimidoyl-' 233
- 'carbamoyle-' 24(T), 157, 233, 298(T)
- '(carbamoxyloxy)-' 276
- 'carbamic acid'/'carbazoyl-' 206, 230, 316
- 'carbazide' 231, 316, 326
- 'carbazimidoyl-' 235
- 'carbazinic acid'/'carbazoyl-' 206, 230, 316
- '9H-carbazole', exception of numbering 93(T), 112
- 'carbazone' 316, 326
- 'carbazono-' 305, 316
- 'carbazoyl-' 233, 315
- 'carbene' 161
- '-carbenium' 176
- carbinol 347
- carbocycles 425
- hydrocarbon-substituted 426
- 'carbodiadzone' 316, 326, 374
- 'carbodiimide' 368
- carbodiimides 24(T), 25(T), 362, 368
- '-carbodithioic acid' 20(T), 214
- carbohydrate acids 495, 497
- carbohydrates 494
- oligonucleotides 513
- stereodescriptors 571
- 'carbohydrazide' 231, 316, 326
- '-carbohydrazide' 314
- '-carbohydrazonamide' 298(T)
- 'carbohydrazone' 326
- carbohydrazones 24(T)
- '-carbohydrazonic acid' 20(T), 216

- carbohydrazonic acids **216**
 '-carbohydrazonyl', acid halide suffix 286(T)
 '-carbohydrazonyl-', acyl prefix 217
 carbohydroxamic acids 216
 carbohydroximic acids 216
 '-carbohydroxiomyl-', acyl prefix 217
 '-carbolute' 268
 'carboline' 93(T)
 carbomonocycles **67**
 hydrocarbon-substituted 69
 terpenes 67
 unsubstituted 67
 carbomonocycle substituents, prefixes 67, 148
 'carbonate' 190, 234, 271
 '[carbonato(2-)]', ligand name 445(T)
 carbon compounds, see C compounds
 carbon-containing oxoacids, see C-oxoacids
 'carbonic acid' 21(T), 229
 carbonic acids **229**
 seniority 21(T)
 'carbonic dihalide' 230
 'carbonic dihydrazide' 231
 'carbonimidic acid' 21(T)
 'carbonimidoyl-'
 isolated group 157, 217, 233, 360, 368
 isolated multivalent substituent 34(T)
 '-carbonitrile' 24(T), 322
 'carbonium' 170
 'carbonochloridic acid' 21(T), 231
 'carbonohydrazide' 231, 316, 326
 'carbonohydrazonyl-', isolated group 157,
 217, 233, 368
 'carbonoperoxoic acid' 21(T), 230
 'carbonothioyl', ligand name 438, 452(T)
 'carbonothioyl-' and analogs
 isolated group 157, 217, 233, 337
 isolated multivalent substituents 34(T)
 'carbonyl', ligand name 438, 452(T)
 'carbonyl-'
 isolated group 157, 233, 337
 isolated multivalent substituent 34(T)
 '-carbonyl'
 acid halide suffix 286(T)
 radical name 164
 '-carbonyl-'
 acid halides 288
 amides 303, 305
 carboxylic acids 205
 C-oxoacids 233
 esters 274, 276, 278
 ketones 335
 parent-substituent name 157
 '-carbonyl-' 601, 606
 '[carbonylbis(oxy)]-', multivalent substituent
 34(T)
 carbonyl-containing substituents and ana-
 logs, prefixes 156
 '-carbonyl halide' 24(T), 286(T)
 'carbonyl imine' 197
 carbonyls 434
 'carbonyl ylide' 197
 '-carboperoxoic acid' 19(T), 218
 carboperoxoic acids and analogs **218**
 '-carboperoxoithioic acid' 218
 carbopolycycles (see also carbocycles),
 terpenes 117
 '-carboselenaldehyde' 327
 '-carboselenoaldehyde' 24(T), 327
 '-carboselenoithioic acid' 214
 'carbostyryl' 296, 334
 '-carbotelluraldehyde' 327
 '-carbotelluroaldehyde' 25(T), 327
 '-carbothialdehyde' 327
 '-carbothioaldehyde' 24(T), 327
 '-carbothioamide' and analogs 298(T)
 '-carbothioic acid' 20(T), 214
 carbothioic acids and analogs **214**
 '-carbo(thio)peroxoic acid' 218
 '-carbothioyl' and analogs, acid halide suf-
 fixes 286(T)
 '-carbothioyl-' and analogs, acyl prefix 217
 '-carboxaldehydato', ligand name 444
 '-carboxaldehyde' 24(T), 327
 '-carboxamide' 24(T), 298(T)
 '-carboxamidine' 298(T)
 '-carboxamido-' 303
 '-carboxamidoxime' 298(T)
 '-carboxamidrazone' 298(T)
 '-carboximidamide' 298(T)
 '-carboximidic acid' 20(T), 216
 carboximidic acids **216**
 '-carboximidoperoxoic acid' 219
 '-carboximidoyl', acid halide suffix 286(T)
 '-carboximidoyl-', acyl prefix 217
 'carboxy', radical name 163
 'carboxy-' 20(T), 153, 156
 carboxylic acids 203, 205
 '-carboxy-' 601, 606
 '(carboxyamino)-' 305
 '-carboxylate'
 anion 190, 220
 esters 23(T), 270, 273, 279
 '(carboxylato)', ligand name 444
 'carboxylato-', prefix 220
 '-carboxylic acid' 20(T), 205
 alkaloids 489
 '-carboxylic acid anhydride' 23(T)
 '-carboxylic acid ester' 23(T)
 '-carboxylic acid hydrazide' 24(T), 314
 carboxylic acids
 acyclic 203
 at heterochains 205
 cyclic 203, 205
 salts 220
 seniority 20(T)
 trivial names 204
 carboxylic acids and analogs **203**
 '(carboxyoxo)-' 276
 'carbyne' 161
 cardanolides 516
 'cardinane' 522
 'carene' 521
 'carnosine' 491
 'α-carotene' 524
 'β-carotene' 524
 carotenes 524
 carotenoids **524**
 'carvacrol' 347
 'carvacryl-' 70
 '(cat)', ligand-name abbreviation 474(T)
 'catechol' 348
 '(catecholato)', ligand name for abbreviation
 474(T)
 catena compounds, lit. 536
 cation center
 at characteristic group (+ E⁺) 173
 at characteristic group (- H⁻) 176
 at molecular-skeleton parents (+ E⁺) 169
 at molecular-skeleton parents (- H⁻) 175
 at O atom or chalcogen analogs (- H⁻) 177
 by formal addition of E⁺ 169
 by formal removal of H⁻ 175
 by ring formation 179
 by skeletal bonding of a heteroatom 178
 in spiropolycycles 180f.
 cations **169**
 seniority 19(T)
 cation substituents, prefixes 182
 '(cbdca)', ligand-name abbreviation 474(T)
 '(cdta)', ligand-name abbreviation 474(T)
 'cedrane' 522
 'cellostriose' 505
 'cellulose' 507
 central atom
 definition 3
 multiplying affixes 539
 nonsenior 465
 seniority 435
 central-atom links 463
 central-atom names **543(T)**
 coordination compounds
 anionic 461
 cationic 456
 neutral 458
 polynuclear 464, 465f.
 centrality 32, 47
 'cephalotaxine' 489
 'cevine' 488, 518
 'C-glycosides' 504
 'chalcone' 337
 characteristic group
 definition 3
 ending or prefix **19(T)**
 general naming 13
 charged bridged fused polycycles, indicated
 H atom 551
 charge number
 definition 4
 for ligands with noncoordinating acid
 functions 444
 global charge in coordination compounds
 434, 436
 in ligand names
 of 'ato' and 'ito' ligands 444
 of cationic ligands 453
 in names of coordination compounds
 anionic 461
 cationic 456
 polynuclear 464, 465f.
 chelate ligands 438
 Chemical Abstracts Service, see CA
 'Chemical Substance Index' 1
 chiral 558
 chirality axis
 assignment of configuration 560f.
 definition 559
 sequence rules 567
 stereodescriptors 'aR' or 'aS' 561
 chirality center
 assignment of configuration 560
 definition 559
 sequence rules 566
 chirality plane
 assignment of configuration 560f.
 definition 559
 sequence rules 567
 stereodescriptors 'pR' or 'pS' 561
 chirality rule 560
 chirality sense, see configuration
 chirality symbol
 'Δ' or 'Λ', determination 583
 citation in names 585
 coordination compounds 470, 582
 coordination polyhedron with the coordi-
 nation number 7, 8, or 9 591
 'C' or 'A', determination 583
 definition 4
 octahedral coordination polyhedron 588
 'R' or 'S', stereogenic central atom, deter-
 mination 583
 square-planar coordination polyhedron 585
 square-pyramidal coordination polyhe-
 dron 587
 tetrahedral coordination polyhedron 585
 trigonal-bipyramidal coordination poly-
 hedron 586
 trigonal-prismatic coordination polyhe-
 dron 590
 'chiro-inositol' 509
 'chlora-' 543(T)
 '(chloramido)', ligand name 443(T)
 'chlorane' 429
 'chlorate' and analogs 237
 'chloric acid' and analogs 237

- 'chloride' 285ff.
 anion 237
 chlorides, see acid halides
 'chlorido', ligand name 442
 '-chlorid(o)-' and analogs, infixes in names
 of C-oxoacid 229
 of P- and As-oxoacids 245
 'chlorite' and analogs 237
 'chloro', ligand name 438, 442(T)
 'chloro-' 18(T), 288, 292, 429
 'chloro-' and analogs, affixes in S-, Se-, and
 N-oxoacid names 238
 'chlorocarbonic acid' 231
 'chloroform' 430
 'chloroformate' 273
 'chloroformic acid' 231
 '(chloroformyl)-' 233
 'chloronio-' 182
 'chloronium' 170
 'chlorosyl-' 18(T), 429
 'chlorous acid' and analogs 237
 'chloryl-' 18(T), 429
 '(C₅H₄Me)', ligand-name abbreviation 474(T)
 choice (see also seniority)
 bridges
 of bridged fused polycycles 124
 of von Baeyer bridged polycycles 119
 main ring of von Baeyer bridged poly-
 cycles 119
 molecular-skeleton parents 41
 numbering in von Baeyer bridged poly-
 cycles 119
 orientation and/or numbering of fused
 polycycles 109
 parent cation 185
 parent component for fusion names
 89(T), 91(T), 98
 parent radical 167
 parent structures 41
 parent substituent 154
 principal group 13, 19(T)
 senior attached component 101
 senior compound class 13, 19(T)
 'cholane' 516
 'cholanthrene' 87
 'cholecalciferol' 527
 'cholestane' 516
 'choline' 174
 'chromane' 87
 'chromene' 92(T)
 'chromenone' 334
 'chromenylum' 179
 'chrysene' 89(T)
 '(chxn)', ligand-name abbreviation 474(T),
 476(T)
 'cinchonane' 488
 'cinnamaldehyde' 328
 'cinnamamide' 301
 'cinnamic acid'/'cinnamoyl-' 204
 'cinnamyl-' 69
 'cinnamyl alcohol' 351
 'cinnamylidene-' 69
 'cinnoline' 93(T)
 CIP convention, π complexes 592
 CIP system 3, 559
 coordination compounds 470
 extended tetrahedron, obsolete 561
 organometallic and coordination com-
 pounds 582ff.
 pilot atom, obsolete 561
 'cis'
 by IUPAC 573
 CA stereodescriptors until 1999 573ff.
 citation in names 572
 monocycles and ring assemblies 573
 'cis-inositol' 509
 'cisoid', stereodescriptor 573
 'cis' senior to 'trans', CIP system 566
 '(cit)', ligand-name abbreviation 474(T)
 'citraconic acid'/'citraconoyl-' 204
 'citrinal' 331, 521
 'citramide' 301
 'citrate' 192
 '(citrate)', ligand name for abbreviation
 474(T)
 'citric acid'/'citroyl-' 209
 'citronellol' 521
 '³⁷Cl' 599(T)
 'Class-I' acids 268
 'Class-I' alcohols and thiols 268f.
 'Class-II' acids 268
 'Class-II' alcohols and chalcogen analogs 268
 class names
 definition 4
 for identical structure units, multiplicative
 nomenclature 32
 functional-class nomenclature 39
 general naming 13
 hydroperoxides 355
 not conjunctive nomenclature 30
 peroxides 410
 polyoxides 410
 polysulfides and analogs 417
 polysulfones and analogs 416
 polysulfoxides and analogs 416
 class term
 acid halides 289, 290
 amides 304, 306, 307
 definition 4
 hydrazides 316, 317
 'cluster' 467
 cluster compounds 467
 cluster compounds, lit. 536
 '(C₅Me₅)', ligand-name abbreviation 474(T)
 'cobamic acid' 527
 'cobamide' 527
 'cobamin' 527
 'cobinamide' 527
 'cobinic acid' 527
 'cobyrinamide' 527
 'cobyrinic acid' 527
 'cobyrinol' 527
 '(cod)', ligand-name abbreviation 474(T)
 'codeine' 489
 'coenzyme A' 512
 'colamine' 362
 colons
 in ligand names
 of bridge ligands 454
 with η descriptors 440
 with κ descriptors 438
 in sets of locants 49
 common acids 268
 common alcohols and thiols 268f.
 composite prefixes
 definition 4
 formation 153
 composite substituents
 addition of components 153
 general naming 153
 substitution of a parent substituent 153
 compound classes
 acid halides 285ff.
 alcohols 347ff.
 aldehydes 325ff.
 amides 295ff.
 amines 359ff.
 anhydrides 257ff.
 anions 187ff.
 As compounds 383ff.
 As-oxoacids 243ff.
 B compounds 397ff.
 B-oxoacids 253ff.
 C compounds 425ff.
 C-oxoacids 229ff.
 carboxylic acids and analogs 203ff.
 cations 169ff.
 choice (seniority) 13, 19(T)
 collection 159ff.
 coordination compounds 433ff.
 esters 267ff.
 halogen compounds 429ff.
 hydrazides 313ff.
 hydroperoxides 355ff.
 imines 367ff.
 ketones 333ff.
 N compounds 371ff.
 N-oxoacids 237ff.
 nitriles 321ff.
 O compounds 409ff.
 organometallic compounds 433ff.
 P compounds 383ff.
 P-oxoacids 243ff.
 phenols 347ff.
 radical ions 199ff.
 radicals 161ff.
 S, Se, and Te compounds 415ff.
 S-, Se-, and Te-oxoacids 237ff.
 Sb and Bi compounds 391ff.
 Sb- and Bi-oxoacids 253ff.
 Si, Ge, Sn, and Pb compounds 403ff.
 Si-oxoacids 253ff.
 sulfonic acids and analogs 223ff.
 zwitterions 195ff.
 compulsory numbering 50
 computer
 nomenclature software 1, 537
 software POLCYC for von Baeyer
 bridged-polycycle names 117
 'conanine' 518
 concatenation 153
 configuration
 absolute 571
 of steroids 516
 of terpenes 520
 stereodescriptors 571
 carbohydrates 498
 chirality axis 560
 chirality center 560
 chirality plane 560
 coordination compounds 582ff.
 of anomeric center of hemiacetal 498
 organometallic compounds 582ff.
 partially known 572
 relative 571
 stereodescriptors 571
 specification 559
 stereogenic axis 560
 stereogenic center 560
 configurational isomers 557
 configuration descriptors 557
 configuration number
 citation in names 585
 coordination compounds 470, 582
 definition 4
 of coordination polyhedron
 octahedral 587
 square-planar 585
 square-pyramidal 587
 tetrahedral 585
 trigonal-bipyramidal 586
 trigonal-prismatic 590
 with the coordination number 7, 8, or 9
 591
 conformers 557
 conjunctive names
 acid halides 285
 alcohols 347
 aldehydes 326
 amines 359
 carboxamides 295
 carboxylic acids and analogs 203
 definition 4
 imines 367

- conjunctive names (cont.)
 multiplying affixes 539
 nitriles 322
not for
 carbamic acids 229
 ketones 333
 P- and As-oxoacids 243
 Si- and B-oxoacids 253
 sulfamic acids 239
 sulfonamides and analogs 295
 sulfonic acids and analogs 223
- conjunctive nomenclature (see also conjunctive names) 30
 determination of molecular-skeleton parents 41, 42, 46
 general naming 14
- constitutional isomers 557
- contraction names '-idone' and '-olone' 295, 334
- coordination compounds 433
 anionic 461
 central-atom names 436
 seniority 19(T)
 cationic 456
 central-atom names 436
 seniority 19(T)
 central-atom names 543(T)
 mononuclear 433
 neutral 458
 central-atom names 436
 seniority 19(T)
 polymers 467, 531
 polynuclear 433, 463ff.
 seniority 27(T), 434
 stereodescriptors 470, 582
- coordination names
 halogen compounds 18(T), 429
 inorganic acids 237, 244
 IUPAC variants 433
- coordination number 582(T)
 definition 4, 433
- coordination polyhedron 470, 582
- coordination site 438ff.
- coordination valence 433
- 'coronene' 90(T)
- 'corrin' 527
- 'cot', ligand-name abbreviation 474(T)
- 'coumarin' 268, 334
- 'Cp', ligand-name abbreviation 474(T)
- 'Cp*', *not* ligand-name abbreviation 474(T)
- 'cptn', ligand-name abbreviation 474(T)
- 'creatine' 491
- 'cresol' 347
- 'crotonic acid'/'crotonoyl-' 204
- 'crotyl alcohol' 351
- '(18-crown-6)', ligand-name abbreviation 474(T)
- '(crypt-211)', ligand-name abbreviation 474(T)
- '(crypt-222)', ligand-name abbreviation 474(T)
- '(cryptand 211)', ligand name for abbreviation 474(T)
- '(cryptand 222)', ligand name for abbreviation 474(T)
- C terminus, peptides 492
- 'cubane' 118
- 'cumene' 69
- 'cumene hydroperoxide' 357
- 'cumenyl-' 70
- cumulative double bonds
 nonstandard valences 596
 standard valences 597
- 'cumyl-' 70
- 'curan' 488
- 'Cy', ligand-name abbreviation 474(T)
- 'cyanamide' 231, 304, 321
- cyanates, functional-class names 38, 321(T)
- '-cyanatid(o)-' and analogs, infixes in P- and As-oxoacid names 245
- '(cyanato-κN)', ligand name 443(T)
- '(cyanato-κO)', ligand name 443(T)
- 'cyanato-' 321(T)
 acid halides 288
 affix in S-, Se-, and N-oxoacid names 238
 amides 305
 C-oxoacids 233
 esters 276
 P- and As-oxoacids 248
 S-, Se-, and Te-oxoacids 240
- 'cyanic acid' 21(T), 230
 anhydrides 321
 formal acid halides 289
 formal anhydrides 260, 262, 287
- 'cyanide' 285ff., 322
- cyanides
 functional-class names 38, 321(T)
 see acid halides
 see nitriles
- 'cyanido', ligand name 442
- '-cyanid(o)-', infix in P- and As-oxoacid names 245
- '(cyano-κC)', ligand name 443(T)
- '(cyano-κN)', ligand name 443(T)
- 'cyano-' 24(T), 288, 292, 321(T), 322
 affix in S-, Se-, and N-oxoacid names 238
- '-cyano-' 601, 605
- 'cyanocob(III)alamin' 527
- 'cyanoformaldehyde' 322
- 'cyanogen' 163, 322
- cyanogen halides 289
- 'cyanyl' 163
- '(cyclam)', ligand-name abbreviation 472(T), 474(T)
- '(cyclen)', ligand-name abbreviation 472(T), 474(T)
- cyclitols 509
- 'cyclo' 467
- 'cyclo-'
 alkaloids 489
 carbomonocycles 67
 nondetachable name part 541
 peptides 492
 steroids 517
 triterpenes 523
- 'cycloalk(a)-', attached-component name 103
- 'endo-cycloalk(a)-', bridge name 125
- cycloalkanes 67
- '-cycloalkene', fusion names 101
- cycloalkenes 67
- cycloalkynes 67
- 'cyclo-' names 79, 83f.
- 'endo-cyclopent(a)-', bridge name 126(T)
- 'cyclopenta[a]phenanthrene', steroid numbering 112
- cyclophanes 117, 123
- cyclosteroids 517
- 'cymene' 69
- '(cys)', ligand-name abbreviation 474(T)
- 'cystathionine' 212, 491
- '(cysteinato)', ligand name for abbreviation 474(T)
- 'cysteine' 571
- 'cysteine'/'cysteinyll-' 210, 490
- 'cystine' 571
- 'cystine'/'cystyl-' 210, 490
- '(cyt)', ligand-name abbreviation 474(T)
- 'cytidine' 511
- 'cytidylic acid' 511
- 'cytidyl-' 512
- 'cytosine' 309, 510
- '(cytosine)', ligand name for abbreviation 474(T)
- 'd' 599(T)
 stereodescriptor, obsolete 572
- 'd'
 amino acids 210, 490, 571
 carbohydrates 494, 571
 cyclitols 509
 peptides 571
- 'D' 599(T)
- '(dabco)', ligand-name abbreviation 474(T)
- '(dach)', ligand-name abbreviation 474(T), 476(T)
- 'DBA' 343
- '(dbm)', ligand-name abbreviation 476(T)
- 'DCC' 363
- 'DDQ' 30
- 'de-' 38
 alkaloids 489
- '(dea)', ligand-name abbreviation 476(T)
- 'deca-' 540(T)
- 'decalin' 87, 576
- 'decalinone' 342
- 'decalone' 342
- 'deci-' 539
- definitions 3
- 'dehydro-' 37
 alkaloids 489
 carotenoids 524
 standard valences 597
- delta convention, see δ convention
- dendrimers 32
- 'deoxy-' 541
 monosaccharides 503
 nucleosides 510, 512
- '-deoxyribonucleic acid' 514
- '(depe)', ligand-name abbreviation 476(T)
- 'de(phosphinicooxy)-' 513
- 'di-' 540(T)
- 'diacetamide' 301
- dialdoses 496
- 'dianhydride with...' 260, 262
- '(diars)', ligand-name abbreviation 476(T)
- diastereoisomers 558, 559, 560, 582
- 'diazene' 26(T)
- 'diazene oxide' 330, 341
- 'diazeno-' 373
- 'diazenyl', ligand name 443(T)
- 'diazenyl-' 153, 373
- 'diazo-' 18(T), 378
- '-diazoate' 375
- 'diazonio-' 182
- '-diazonium' 177
- diazonium cations 175
- 'diazophenone' 379
- '(dibenzoylmethanato)', ligand name for abbreviation 476(T)
- 'dibenzylideneacetone' 343
- 'dibismuthine' 26(T)
- 'diborane(2)' 398
- 'diborane(4)' 254
- 'diborane(6)' 398
- 'di(tert-butyl)carbodiimide' 365
- '(dicarbonate)' 234
- 'dicarbonic acid' 21(T), 232
- '-dicarboximide' 296
- '-dicarboxylic acid' 205
- dicarboxylic acids 203
- 'dicta-' 540(T)
- 'dicyclohexylcarbodiimide' 363
- '(dien)', ligand-name abbreviation 476(T), 588
- '-diene'
 carbomonocycles 67
 heterochains 61ff.
 heteromonocycles 82
 hydrocarbon chains 55
 monosaccharides 503
 polymers 531
 spiropolycycles 134

- steroids 517
 subtractive nomenclature 37
 von Baeyer bridged polycycles 118
 '([14]1,3-dieneN₄)', ligand-name abbreviation 476(T)
 '(diethanolaminate)', ligand name for abbreviation 476(T)
 '(N,N-diethyldithiocarbamate)', ligand name for abbreviation 478(T)
 '(diethylenetriamine)', ligand name for abbreviation 476(T), 588
 '(diethylenetriaminepentaacetate)', ligand name for abbreviation 476(T)
 '[diethylenetriaminepentakis(methylene~phosphonato)]', ligand name for abbreviation 476(T)
 'diethyl ether' 35, 412
 '(diethyl ether)', ligand name 453
 digraph, hierarchical 561, 566, 584
 'dihydrazide' 316
 'dihydroercalciol' 527
 '(dihydrogen)', ligand name 452(T)
 '(dihydroxyarsino)-' 22(T)
 '(dihydroxyphosphino)-' 22(T)
 '-diide', polyanion 194
 '-diium'
 polycation 184
 skeletal bonding 178
 diketoses 496
 'dilactide' 268
 'dilia-' 540(T)
 'dimer of phenylanisylmethylphosphine', ligand name for abbreviation 476(T)
 '(dimethylacetamide)', ligand name for abbreviation 476(T)
 '4-(dimethylamino)pyridine' 361
 '(dimethylglyoximate)', ligand name for abbreviation 451, 476(T)
 '(dimethyl sulfide)', ligand name 453
 '(dimethyl sulfoxide)', ligand name for abbreviation 476(T)
 '(dinitrogen)', ligand name 438, 452(T)
 '-dioic acid' 203
 '(diop)', ligand-name abbreviation 476(T)
 '(diox)', ligand-name abbreviation 476(T)
 'dioxidane' 355, 410
 '(dioxidoazo)-' 339
 multivalent substituent 34(T)
 N-heterochains 374
 'dioxy-', multivalent substituent 34(T)
 '-dioxy', radical name 164
 '-dioxy-', peroxides 410
 '-dioxy-' and analogs, esters 274ff.
 '(dioxygen)', ligand name 438, 452(T)
 '(dipamp)', ligand-name abbreviation 476(T)
 'diphenylamine' 361
 '(diphosphate)' 249
 'diphosphene' 26(T)
 'diphosphine-1,2-diyl-', multivalent substituent 34(T)
 'diphosphoramidate' 291
 'diphosphoric acid' 249
 'diphosphorous tetraamide' 291, 307
 'diphosphorous tetrachloride' 291
 '(dipivaloylmethanato)', ligand name for abbreviation 476(T)
 directions for use 1
 disaccharides 505
 'diselane' 355
 'diselenide' 27(T), 258, 260, 287, 417
 'disilane' 27(T)
 'disilanehexol' 254
 'disilathiane' 27(T)
 'disilazane' 362
 'disiloxane' 27(T)
 'dispiro-' 133, 135, 541
 'distibene' 26(T)
 'distibine' 26(T)
 'disulfane' 355, 416
 '(disulfate)' 239
 'disulfide' 27(T), 258, 260, 287, 417
 disulfides, of peptides 492
 'disulfanyl-', multivalent substituent 34(T)
 '-disulfanyl-' and analogs, prefixes 416
 '(disulfite)' 239
 'disulfone' and analogs 27(T), 416
 'disulfonyl-', multivalent substituent 34(T)
 '-disulfonyl-' and analogs, prefixes 416
 'disulfoxide' and analogs 27(T), 416
 'disulfuric acid' 239
 'disulfurous acid' 239
 'ditellane' 355
 'ditelluride' 27(T), 258, 260, 287, 417
 diterpenes 522
 'dithio-', multivalent substituent 34(T)
 '(dithio)' and analogs, ligand names 443(T)
 '-dithio' and analogs, radical names 164
 '-dithio-' and analogs, infixes
 in carboxylic acid names 214
 in sulfonic acid names and analogs 224
 '-dithio-' and analogs, prefixes 417
 '(dithiocarboxy)-' 20(T), 215
 dithiohemiacetals 349
 '-(dithioic acid)' 20(T), 214
 '(dithionate)' 239
 'dithionic acid' 239
 '(dithionite)' 239
 'dithionous acid' 239
 '-diuide', polyanion 194
 diuloses 496
 '-diyl-'
 bridged fused-polycycle substituents 128, 149, 150
 carbomonocycle substituents 68, 148
 cation substituents 182
 fused-polycycle substituents 87, 112, 115, 149, 150
 heterochain substituents 62ff., 147
 heteromonocycle substituents 75, 77, 82, 84, 150
 hydrocarbon-chain substituents 56, 146
 ring-assembly substituents 142, 152
 spiropolycycle substituents 134, 138, 149, 150
 von Baeyer bridged-polycycle substituents 120, 149, 150
 '-diylum' (- 2 H) 175, 184
 '(dma)', ligand-name abbreviation 476(T)
 'DMAP' 361
 '(dme)', ligand-name abbreviation 476(T)
 '(dmf)', ligand-name abbreviation 476(T)
 '(dmg)', ligand-name abbreviation 451, 476(T)
 '(dmpe)', ligand-name abbreviation 476(T)
 '(dmpm)', ligand-name abbreviation 476(T)
 '(dmso)', ligand-name abbreviation 476(T)
 'DNA' 514
 'do-' 540(T)
 'docosa-' 540(T)
 'dodeca-' 540(T)
 donor-atom descriptor 438
 'dopa' 214
 double-bond isomers, indicated H atom 547
 double bonds
 cumulative, see cumulative double bonds
 noncumulative, see maximum number of noncumulative double bonds
 '(dpm)', ligand-name abbreviation 476(T)
 '(dppe)', ligand-name abbreviation 476(T)
 '(dppf)', ligand-name abbreviation 476(T)
 '(dppm)', ligand-name abbreviation 476(T)
 '(dppp)', ligand-name abbreviation 476(T)
 'dT', nucleoside abbreviation 511
 '(dtmpa)', ligand-name abbreviation 476(T)
 '(dtpa)', ligand-name abbreviation 476(T)
 dummy atoms 559, 562, 584
 duplicate atoms 562, 584
 dyes, lit. 536
 'E'
 assignment of configuration 561
 CA stereodescriptors until 1999 574ff.
 citation in names 572
 hydrazones 330, 341
 hydrocarbon chains 55
 imines 367
 oximes 329, 340
 'E'/Z', stereodescriptor 572
 '(ea)', ligand-name abbreviation 476(T)
 'eburnamenine' 488
 '-ecane', Hantzsch-Widman names 78(T)
 '-ecin(e)', Hantzsch-Widman names 78(T)
 'EDC' 363
 '(edda)', ligand-name abbreviation 476(T)
 'EDTA' 32
 '(edta)', ligand-name abbreviation 447, 476(T)
 '(edtmap)', ligand-name abbreviation 478(T)
 '(egta)', ligand-name abbreviation 478(T)
 'eicosa-' 540(T)
 'elaidic acid'/ 'elaidoyl-' 204
 element names 543(T)
 CA and IUPAC variants 433
 metallocene 459
 organometallic compounds 458
 element symbols, italic
 bond descriptor in coordination names 463
 in amide names 299
 in amine names 360
 in ester names 270, 273
 in ligand names 438
 nonstandard valences 597
 elision 9
 definition 4
 '-ep(i)-' in bridge name 128
 general naming 15
 in heterochain names 62ff.
 in IUPAC names 19(T)
 in names of
 attached components
 CA 101
 IUPAC 95
 bridges 125, 126(T)
 carboxylic acids 19(T), 214, 216, 218
 C-oxoacids 230
 fused polycycles with replacement names 115
 heteromonocycles 76, 81, 83
 P- and As-oxoacids 22(T), 245
 peroxy acids with suffix 19(T)
 S-, Se-, and N-oxoacids 238
 spiropolycycles 133
 sulfonic acids and analogs 19(T), 224, 225, 226
 von Baeyer bridged polycycles 118
 multiplying affixes 540(T)
 '(en)', ligand-name abbreviation 439, 478(T)
 enantiomers 558, 559, 583
 enclosing marks 9
 brackets, for isotopically labeled compounds 600
 definition 4
 general naming 15
 in formulas of coordination compounds 472(T)
 in ligand names
 of anionic ligands without κ or η descriptors 442
 of 'ato' and 'ito' ligands 444
 of bridge ligands 454
 of cationic ligands 553
 of neutral ligands 451
 with η descriptors 440
 with κ descriptors 438

- enclosing marks (cont.)
 in peptide names 492
 parentheses, for isotopically substituted compounds 600
- end groups, carotenoids 524
- ending
 compound classes 19ff.(T)
 definition 4
 general naming 13
- 'endo'
 CA stereodescriptors until 1999 573ff.
 citation in names 572
 in bridge name 125
 von Baeyer bridged polycycles 120, 573
- 'endo-cyclopent(a)-', bridge name 126(T)
- 'endo-oxirano-', bridge name 128
- 'endo-pyrrolo-', bridge name 128
- '-ene'
 carbomonocycles 67
 heterochains 61ff.
 heteromonocycles 82
 hydrocarbon chains 55
 monosaccharides 503
 polymers 531
 spiropolycycles 134
 steroids 517
 subtractive nomenclature 37
 von Baeyer bridged polycycles 118
- '-enyl-'
 carbomonocycle substituents 67, 148
 hydrocarbon-chain substituents 56, 146
- '-enylidene-'
 carbomonocycle substituents 68, 148
 hydrocarbon-chain substituents 56, 146
- '-enylidyne-'
 hydrocarbon-chain substituents 56, 146
- enzymes, lit. 536
- '-epane', Hantzsch–Widman names 78(T)
 IUPAC 78(T)
- 'epi-' 125
- 'epidioxy-'
 bridge name 126(T)
 steroids 518
- 'epidithio-', bridge name 126(T)
- 'epi-inositol' 509
- '-epin(e)', Hantzsch–Widman names 78(T)
- 'epithio-'
 bridge name 126(T)
 steroids 518
- '(epithioethan(o))-', bridge name 126(T)
- '(epithiomethanothio)-', bridge name 126(T)
- 'epoxy-'
 alkaloids 489
 bridge name 126(T), 409
 carotenoids 524
 nondetachable name part 541
 prefix in stereoparent names 409
 steroids 518
- '(epoxy[1,2]benzen(o))-', bridge name 126(T)
- '(epoxyethanylylidene)-', bridge name 126(T)
- '(epoxyimino)-', bridge name 126(T)
- '(epoxymethanoxy)-', bridge name 126(T)
- '(epoxymethanonitrilo)-', bridge name 126(T)
- '(epoxynitrilo)-', bridge name 126(T)
- '(epoxythio)-', bridge name 126(T)
- 'ercalciol' 527
- 'ergocalciferol' 527
- 'ergoline' 488
- 'ergostane' 516
- 'ergotaman' 488
- 'erythrinan' 488
- 'erythro-' 496
- 'erythrose' 495
- 'ester' 270
- esters 267
 acyclic
 classification 268
 naming 270ff.
- cyclic 267
 exception of the seniority 23(T), 267, 273
 multiplicative names 270
 of a common acid and a common alcohol 269
 of a common acid and an exotic alcohol 270, 273
 of amino acids 491
 of an exotic acid and any alcohol 270
 of a polybasic common acid and a common and/or exotic alcohol 269
 of boric acids 254
 of boronic and borinic acids 255
 of carbohydrate acids 498
 of monosaccharides 503
 of nucleosides 510, 512
 of peptides 492
 of polymers 531
 of silicic acids 253
 oligonucleotides 512
 replacement names 61
 salts 278
 seniority 23(T)
 Si compounds 267, 404, 406
- 'estrane' 516
- 'Et', ligand-name abbreviation 478(T)
- eta descriptor, see η descriptor
- '-etane', Hantzsch–Widman names 78(T)
- '(Et₂dtc)', ligand-name abbreviation 478(T)
- '-ete', Hantzsch–Widman names 78(T)
- '-etene' 77
- 'etha-' 540(T)
- 'ethane-1,2-diyl-'
 multivalent substituent 34(T)
 prefix 56
- 'ethan(o)-', bridge name 126(T), 541
- '(ethanolaminato)', ligand name for abbreviation 476(T)
- 'ethanolamine' 29, 362
- 'ethanylylidene-', bridge name 126(T)
- 'ethen(o)-', bridge name 126(T)
- '6,14-ethenomorphinan' 488
- ethers 27(T)
 acyclic 411
 functional-class nomenclature 38
 of peptides 492
- 'ethionine' 491
- 'ethoxide' 191
- 'ethoxy', radical name 164
- 'ethoxy-' 18(T)
 alcohols 351
 esters 277
 ethers 412
- '-ethoxy-', esters 275
- 'ethyl', ligand name 442(T)
- 'ethyl alcohol' 348
- 'ethylcalciol' 528
- 'ethyldipropylamine' 361
- 'ethylene' 57
- 'ethylene-' 56, 58
- 'ethylenediamine' 361
- '(ethylenediamine)', ligand name for abbreviation 439
- '(ethylenediaminediacetato)', ligand name for abbreviation 476(T)
- 'ethylenediaminetetraacetamide' 301
- '(ethylenediaminetetraacetato)', ligand name for abbreviation 447, 476(T)
- 'ethylenediaminetetraacetic acid' 32, 210
- '[ethylenediaminetetrakis(methylenephosphonato)]', ligand name for abbreviation 478(T)
- 'ethylene glycol' 347
- '[ethylene glycol-bis(2-aminoethyl)-N,N,N',N'-tetraacetic acid]', ligand name for abbreviation 478(T)
- 'ethylidene-'
 multivalent substituent 34(T)
 prefix 56
- 'ethyn(o)-', bridge name 126(T)
- '-etidine', Hantzsch–Widman names 78(T)
- '-etine' 77
- 'eudesmane' 522, 576
- 'eugenol' 414
- Ewens-Bassett number, see charge number
- 'exo'
 CA stereodescriptors until 1999 573ff.
 citation in names 572
 von Baeyer bridged polycycles 120, 573
- exotic acids 268
- exotic alcohols and chalcogen analogs 268
- extended tetrahedron, obsolete in the CIP system 561
- 'fac-' 588
- factorization rule 559
- 'farnesol' 522
- 'farnesyl-' 58
- 'farnoquinone' 528
- 'ferrocene' 460
- 'ferrocenyl', ligand name 438
- final syllable, definition 4
- Fischer projection 494, 499, 557
- 'flavone' 342
- flavylium' 179
- 'fluora-' 543(T)
- 'fluoranthene' 89(T)
- '9H-fluorene' 89(T)
- 'fluoride' 285ff.
- fluorides, see acid halides
- 'fluoro', ligand name 442(T)
- 'fluoro-' 18(T), 288, 292, 429
- 'fluoronio-' 182
- 'fluoronium' 170
- '(fod)', ligand-name abbreviation 478(T)
- folic acids 493
- 'formaldehyde' 327
- 'formamide' 231, 299, 300
- 'formamidine' 231
- 'formate' 190, 234, 271
- 'formazan' 314, 325
- formazans 24(T), 325, 330, 333, 341
- 'formic acid' 21(T), 229
- formic acids 229
 formal hydrazides 314
 seniority 21(T)
- 'formimidoyl-' 157, 233
- 'formohydrazoneoyl-' 157, 233
- formulas
 of coordination compounds 472(T)
 of stereoparents, location of drawings 487
 primed locants in 52
- 'formyl', halide suffix 285
- 'formyl-'
 aldehydes 24(T), 327
 amides 303
 C-oxoacids 233
 esters 275
 isolated group 156, 157
 prefix 153
- '-formyl-' 601, 603, 605
- 'formyl halide' 231
- '-formylium' 176
- free valence
 assignment of 'added' indicated H atom 553f.
 assignment of indicated or 'added' indicated H atom 552
- locants 49, 50
 no indicated H atom 553
- 'friedo-' 524
- 'fructan' 507
- 'fructose' 495
- '(fta)', ligand-name abbreviation 478(T)
- 'fucose' 503

- fullerenes, lit. 536
 'fulminic acid' 230, 321
 'fulvalene' 141
 'fulvene' 69
 'fumaraldehyde' 331
 'fumaramide' 301
 'fumaric acid'/'fumaroyl-' 204
 functional-class names
 acyclic monosulfones, monosulfoxides,
 monosulfides, and analogs 420f.
 alcohols 347
 azides 379
 cyanates 321(T)
 cyanides 321(T)
 definition 4
 ethers 412
 halogen compounds 429
 hydroperoxides 355
 isocyanates 379
 isocyanides 321(T), 379
 isofulminates 321(T)
 isothiocyanates and analogs 321(T), 379
 ketones 335, 337
 nitriles 322
 peroxides 410
 polyoxides 410
 polysulfides and analogs 417
 polysulfones and analogs 416
 polysulfoxides and analogs 416
 thiocyanates and analogs 321(T)
 functional-class nomenclature (see also
 functional-class names) 38
 general naming 14
 functional group, see characteristic group
 functional modifier, see modification
 'functional-parent names'
 amines 359, 360
 imines 368
 functional-parent names
 carbonic and formic acids 229
 compound classes 19ff.(T)
 definition 4
 for identical structure units, multiplicative
 nomenclature 32
 general naming 13
 not conjunctive nomenclature 30
 P- and As-oxoacids 243
 S-, Se-, Te-, and N-oxoacids 237
 seniority 41
 Si- and B-oxoacids 253
 substitutive nomenclature 29
 functional parents (see also functional-par-
 ent names), definition 6
 fundamental fused carbopolycycles, semi-
 trivial or trivial names 89(T)
 fundamental heterocycles, semitrivial or
 trivial names 91(T)
 fundamentals 3
 'fural' 331
 'furaldehyde' 331
 'furamide' 301
 'furan' 73, 92(T)
 'furano-', bridge name 126(T), 128
 'furazan' 75
 'furfural' 328, 331
 'furfuryl-' 76
 'furo-' 92(T), 102
 'furoic acid'/'furoyl-' 205
 'furoin' 338
 furostanes 516
 'furyl-' 76, 88
 '2*H*-furylium' 179
 fused heterobicycle, see benzoheteromono-
 cycle
 fused polycycles 85
 five- and seven-membered ring compo-
 nents 2, 85, 123
 fusion names 95
 orientation prior to numbering 107
 replacement names 114
 saturated or partially saturated
 with fusion names 112
 with replacement names 115
 with semitrivial or trivial names 86
 semitrivial or trivial names 86ff.
 Si-containing 95, 114
 with bridges 123
 fused-polycycle substituents, prefixes 87,
 112, 115, 149, 150
 fused polycycles with bridges, see bridged
 fused polycycles
 fusion names
 choice (seniority)
 of parent component 89(T), 91(T), 98
 of the senior attached component 101
 definition 5
 fused polycycles 95
 general procedure 95ff.
 porphyrins 529
 steroids 518
 fusion side
 parent component 103
 primary attached component 103
 fusion site
 fused polycycles 103ff.
 higher-order attached component 106
 'G', nucleoside abbreviation 511
 'galacto-' 495
 'galactose' 495
 'gallic acid'/'galloyl-' 209
 'gammacerane' 523
 Ge compounds 403, 458
 seniority 27(T)
 stereodescriptors 582, 585
 Ge-heterochains 405
 Ge-heterocycles 403
 general names, definition 5
 'geraniol' 351, 521
 'geranyl-' 58
 'geranylarnesol' 523
 'germa-' 543(T)
 'germane' 27(T), 63, 405
 germanium compounds, see Ge compounds
 'german(o)-', bridge name 126(T)
 germaselenanes 65
 'germin' 78(T)
 'germyl-' 64, 405
 'germylene-' 405
 'germylidyne-' 405
 'gibbane' 522
 gibbelerins 522
 '(gln)', ligand-name abbreviation 478(T)
 '(glu)', ligand-name abbreviation 478(T)
 'gluco-' 495
 'glucose' 495
 'glutamate' 221
 '(glutamato)', ligand name for abbreviation
 478(T)
 'glutamic acid'/'glutamoyl-'/'glutamyl-' 210,
 490
 'glutamate' 221
 '(glutaminato)', ligand name for abbreviation
 478(T)
 'glutamine' 299
 'glutamine'/'glutaminyl-' 210, 490
 'glutamyl-' 492
 'glutaraldehydic acid' 328
 'glutaramide' 301
 'glutaric acid'/'glutaryl-' 204
 '(gly)', ligand-name abbreviation 478(T)
 'glycan' 507
 glycans 507
 'glyceral' 331
 'glyceraldehyde' 331, 495, 571
 'glyceramide' 301
 'glyceric acid'/'glyceroyl-' 209
 'glyceride' 271, 273
 'glycero-' 495
 'glycerol' 271, 347
 '(glycinato)', ligand name for abbreviation
 478(T)
 '(glycinato-κO)', ligand name 446
 'glycine'/'glycyl-' 210, 490
 'glyco-' 508
 'glycolaldehyde' 328
 'glycolamide' 301
 'glycolic acid'/'glycoloyl-' 209
 'glycolipid' 271
 glycolipids, see IUPAC
 glycopeptides, see IUPAC
 glycoproteins, see IUPAC
 glycosides 504f.
 glycosylamines 504
 'glycosylglycose' 505
 'glycosyl glycoside' 505
 glycosyl halides 504
 glycosyl substituents 504
 'glycuronan' 507
 'glyoxal' 328
 'glyoxylamide' 301
 'glyoxylic acid'/'glyoxyloyl-' 209
 'gonane' 516
 graft polymers 534
 graphical representations of structures 557
 Greek letters, locants 49
 'Green Book' 599
 group, see characteristic group, isolated group
 '(gua)', ligand-name abbreviation 478(T)
 'guaiacol' 348, 414
 'guaiane' 522
 'guanidine' 231, 304
 '-guanidinium' (+ E⁺) 174
 'guanidino-' 158, 231, 305
 'guanine' 309, 510
 '(guanine)', ligand name for abbreviation
 478(T)
 'guanosine' 511
 '(guanosine)', ligand name for abbreviation
 478(T)
 'guanylic acid' 511
 'guanylyl-' 512
 'gulo-' 495
 'gulose' 495
 '(guo)', ligand-name abbreviation 478(T)
 'H', indicated H atom 547ff.
 '2H' 599(T)
 '3H' 599(T)
 halides, see acid halides
 '(halocarbonyl)-' 24(T)
 halogen atoms, cationic, in heteromono-
 cycles 76
 halogen compounds 27(T), 429
 cyclic 430
 ionic 430
 Hantzsch-Widman names 76
 definition 5
 final syllables 78(T)
 Si-containing fused polycycles 95
 hapto ligands 440
 stereodescriptors 591
 hapto symbol, see η descriptor
 'hasubanan' 488
 Haworth projection 494, 499, 557
 '2*H*-biline' 530
 '(hdtmpa)', ligand-name abbreviation 478(T)
 heading parent
 anhydrides 257
 coordination compounds
 anionic 461
 cationic 456

- heading parent
 coordination compounds (cont.)
 neutral 458
 polynuclear 464
 definition 5
 esters 267
 hydrazides 313
 hydrazones 326
 in 'Chemical Substance Index' of CA 41
 isotopically modified compounds 601
 metallocenes 459
 order of prefixes 155
 organometallic compounds 458
 oximes 326
 peptides 492
 seniority 45
 'hecta-' 540(T)
 '(hedp)', ligand-name abbreviation 478(T)
 'helicene' 90(T)
 helicity 560
 octahedron 583
 helicity rule 560
 helix unit 560
 hemiacetals 24(T), 326, 347, 349
 hemiacetals, monosaccharides 498, 499
 hemiaminals 326
 'hen-' 540(T)
 'heneicosa-' 540(T)
 'henicosa-' 540(T)
 'hepta-' 540(T)
 'heptacene' 90(T)
 'heptalene' 89(T)
 'heptaphene' 90(T)
 'heptose' 496
 '(heteroarenido)', ligand names 448
 heteroatom bridgeheads, indicated H atom 549
 heteroatom prefixes, see heteroatom syllables
 heteroatoms
 general naming 13
 standard valence 61, 73, 85, 117, 123, 133, 141, 543(T)
 heteroatom syllables 543(T)
 definition 5
 in fused polycycles with replacement names 114
 in heterochain names 61ff.
 in heteromonocycle names 76, 81, 83f.
 in metallocene names 459
 in names of anionic coordination compounds 461
 in spirocycle names 133
 in von Baeyer bridged-polycycle names 118
 multiplying affixes 539
 heterochains 61
 formal hydrazides 314
 heterogeneous, with regular patterns 65
 homogeneous 62
 with irregularly placed heteroatoms 61
 with regularly placed heteroatoms 62
 heterochain substituents, prefixes 62ff., 147
 '-heterocycloalkin(e)', fusion names 100
 'heterocycloalkino-', fusion names 102
 heteroglycans 508
 heteromonocycles 73
 'cyclo-' names 83f.
 Hantzsch-Widman names 76ff.
 replacement names 81f.
 saturated or partially saturated
 with Hantzsch-Widman names 77
 with trivial names 75
 Si-containing 82ff.
 trivial names 73
 with cationic halogen atoms 76
 with metal atoms 76
 with more than ten ring members 81
 with up to ten ring members 76ff.
 heteromonocycle substituents, prefixes 75, 77, 82, 84, 150
 'hetero'-polyboranes 397
 hetero unit, replacement nomenclature 61
 'hetisan' 488
 'hexa-' 540(T)
 'hexacene' 90(T)
 '(hexafluoroacetylacetonato)', ligand name for abbreviation 478(T)
 'hexahelicene' 90(T)
 '[hexamethylenediaminetetrakis(methylene~phosphonato)]', ligand name for abbreviation 478(T)
 '(hexamethylenetetraamine)', ligand name for abbreviation 478(T)
 'hexaphene' 90(T)
 'hexose' 496
 hexoses 494
 hex-2-uloses 495
 '(hfa)', ligand-name abbreviation 478(T)
 hierarchical digraph 561, 566, 584
 higher-order attached component 101, 106
 'hippuric acid' 491
 'hippuric acid'/'hippuroyl-' 212
 '(his)', ligand-name abbreviation 478(T)
 '(histidinato)', ligand name for abbreviation 478(T)
 'histidine'/'hystidyl-' 211, 490
 'HMPA' 307
 '(hmpa)', ligand-name abbreviation 478(T)
 'HMPT' 307
 '(hmta)', ligand-name abbreviation 478(T)
 'HOBt' 350
 'homo-'
 alkaloids 489
 nondetachable name part 541
 steroids 517
 triterpenes 524
 'homoadamantane' 425
 'homocysteine'/'homocysteinyl-' 211, 490
 homoglycans 507
 homopolymers 467, 534
 'homoserine'/'homoseryl-' 211, 490
 'hopane' 524
 'hydantoic acid'/'hydantoyl-' 214
 'hydantoin' 309
 'hydantoyl-' 305
 hydrates 23(T)
 of aldehydes 349
 of ketones 351
 of monosaccharides 503
 'hydrazo-', N-heterochains 64, 147, 373
 'hydrazidato', ligand name 444
 'hydrazide' 188, 317
 '-hydrazide' 314
 hydrazides 313
 acyclic 314
 amino acids 491
 boric acids 254
 boronic and borinic acids 255
 carbohydrate acids 498
 cyclic 313
 exception of the seniority 23(T)
 replacement names 61
 seniority 24(T)
 'hydrazidine' 314
 '-hydrazid(o)-', infix in P- and As-oxoacid names 245
 'hydrazine' 26(T), 63
 '(hydrazine)', ligand name 452(T)
 hydrazinecarboxylic acid, formal anhydride 258
 '[hydrazinium(1+)]', ligand name 453(T)
 'hydrazino-'
 hydrazides 315ff.
 N-heterochains 64, 147, 373
 '-hydrazino-', S-, Se-, Te-, and N-oxoacids 240
 '(hydrazinocarbonyl)-' 20(T), 24(T), 216, 315
 '(S-hydrazinosulfonimidoyl)-' 20(T), 225
 '(hydrazinosulfonyl)-' 20(T), 225
 'hydrazin-1-yl-2-ylidene-'
 hydrazides 315
 hydrazones 330, 341
 multivalent substituent 34(T)
 N-heterochains 64, 147, 373
 'hydrazo-'
 hydrazides 315
 hydrazones 330, 341
 multivalent substituent 34(T)
 N-heterochains 64, 147, 373
 steroids 518
 '(hydrazodicarbonyl)-', multivalent substituent 34(T)
 'hydrazoic acid' 237
 '-hydrazonamide' 298(T)
 'hydrazonato', ligand name 444
 '-hydrazone' 330, 341
 hydrazones
 of acid halides 325
 of acids 23(T)
 of aldehydes 24(T), 325
 seniority 24(T)
 of amides 325
 of carboxylic acids 325
 of ketones 24(T), 333
 seniority 24(T)
 of monosaccharides 503
 of polymers 531
 '-hydrazonic acid' 20(T), 216
 'hydrazono-'
 acid halides 288
 amides 303, 305
 carboxylic acids 217
 C-oxoacids 233
 esters 275, 276, 278
 hydrazides 315ff.
 hydrazones 330, 341
 imines 368
 N-heterochains 64, 147, 373
 prefix 156f.
 radicals 163
 '-hydrazon(o)-', infix in names
 of carboxylic acids 216
 of C-oxoacids 230
 of sulfonic acids and analogs 225
 '(hydrazonomethyl)-' 233
 '-hydrazonoyl', acid halide suffix 286(T)
 'hydrazyl' 161
 'hydrido', ligand name 442
 'hydro', ligand name 438, 442, 442(T)
 'hydro-' 36
 alkaloids 489
 alphabetical order 53
 carotenoids 524
 general naming 17
 locants 50
 nonstandard valences 596
 standard valences 597
 'hydroantimonate(2-)' 188
 hydrocarbon-chain component, in conjunctive nomenclature 30
 hydrocarbon chains 55
 branched 57, 426
 Ph-substituted 55
 unbranched 55, 426
 hydrocarbon-chain substituents, prefixes 55ff., 146
 hydrocarbons
 numerical syllables 540(T)
 'hydrochloric acid' and analogs 237
 'hydrocyanic acid' 231, 322
 'hydrogen'
 for ligands with noncoordinating acid functions 444
 in coordination names 456, 462
 in ester and salt names 279

- in ester names 270, 273
in salt names 220, 227, 234, 249
'hydrogen names', inorganic acids 237, 244
'(hydrogen peroxide)', ligand name 452(T)
'hydrogen selenide' 237
'hydrogen sulfide' 237
'(hydrogen sulfide)', ligand name 452(T)
'hydron' 169, 187
'hydroperoxide' 25(T), 355
hydroperoxides 38, 355
 seniority 25(T)
'hydroperoxo', radical name 163
'hydroperoxy', ligand name 442(T)
'hydroperoxy-' 25(T), 153, 219, 355, 356
'(hydroperoxycarbonyl)-' 19(T), 219
'(hydroperoxysulfinyl)-' 19(T), 226
'(hydroperoxysulfonyl)-' 19(T), 226
'(hydroperoxythio)-' 19(T), 226
hydropolychalcogenides 355
'hydroquinone' 347
'hydrotetraoxide' 355
'(hydrotetraoxy)-' 355
'hydrotrioxide' 355
'(hydrotrioxy)-' 355
'[hydrotris(3,5-dimethylpyrazolyl)borato]',
 ligand name for abbreviation
 484(T)
'[hydrotris(pyrazolyl)borato]', ligand name
 for abbreviation 484(T)
'hydrotrisulfide' and analogs 355
'(hydrotrithio)-' and analogs 355
'hydroxamic acid' 376
'hydroxy', ligand name 438, 442(T)
'hydroxy-' 25(T), 153, 347, 350
N-hydroxyamine 363
'(hydroxyamino)-' 363, 375
'[(hydroxyamino)iminomethyl]-' 298(T)
'(hydroxyarsinidene)-' 22(T)
'(hydroxyarsinylidene)-' 22(T)
'(hydroxyborylene)-' 23(T), 400
hydroxycarboxylic acids 208f.
'(1-hydroxyethane-1,1-diyl)diphosphonato]',
 ligand name for abbreviation
 478(T)
'(hydroxyimino)-' 329, 340, 363
'hydroxyl', radical name 163
hydroxylamines
 alcohols 350
 amines 363
 formal amides 299, 304, 306, 307
 N-heterochains 375
 pseudoesters 267
 seniority 26(T)
 substituted, formal 375
'hydroxylamine-O-sulfonic acid' 238, 375
 oximes 325
'hydroxyoxomethyl', radical name 163
'(hydroxyphosphinidene)-' 22(T)
'(hydroxyphosphinylidene)-' 22(T)
'N-hydroxy...carboximidamide' 298(T)
'N-hydroxy...imidamide' 298(T)
'hypoboric acid' 254
'hypochlorite' and analogs 237
'hypochlorous acid' 287, 289, 291
'hypochlorous acid' and analogs 237
'hyponitrate' 238
'hyponitric acid' 238
'hyponitrite' 238
'[hyponitrito(2-)]', ligand name 445(T)
'hyponitrous acid' 238
'hypophosphonic acid' 249
'hypophosphonous acid' 249
'hypophosphoric acid' 249
'hypoxanthine' 309, 510
- 'T', nucleoside abbreviation 511
'ibogamine' 488
- '-ic acidium' (+ E') 173
'icosa-' 540(T)
'(ida)', ligand-name abbreviation 446,
 478(T), 588
'-ide'
 anion 19(T), 189
 lactides 268
identical ring components 141
 determination of molecular-skeleton
 parents 41
 multiplying affixes 539
 ring assemblies 32
identical structural units 32
'ido-' 495
'-ido', ligand names 442, 450
'-ido-', anion (prefix) 194
'-idone' 295, 334
'idose' 495
'-iduide', polyanion 194
'-idyl-', anion (prefix) 194
'(ile)', ligand-name abbreviation 478(T)
'(im)', ligand-name abbreviation 478(T)
'-imidamide' 298(T)
'imidazo-' 92(T), 102
'1H-imidazole' 74, 92(T)
'imidazolidine' 74
'imidazoline' 74
'-imide' 296, 301
 anion 190
imides 23(T), 295, 296, 301
 seniority 24(T)
'-imidic acid' 20(T), 216
'-imidium' (+ E') 173
'imido', ligand name 438, 443(T)
'imido-', affix in names
 of polynuclear C-oxoacids 232
 of polynuclear P- and As-oxoacids 249
 of polynuclear S- and Se-oxoacids 239
 of S-, Se-, and N-oxoacids 238
'-imid(o)-', infix in names
 of carboxylic acids 216
 of C-oxoacids 230
 of P- and As-oxoacids 245
 of sulfonic acids and analogs 225
'-imido-' 296
'imidodicarbonic acid' 21(T), 232
'imidogen' 163
'-imidogen' 164
'-imidoperoxoic acid' 219
'imidosulfurous acid' 21(T)
'-imidoyl', acid halide suffix 286(T)
'-imidoyl-', acyl prefix 217
'-iminato', ligand name 444
'-imine' 25(T), 367
 bridge name 124
imines 367
 N-alkyl- and N-aryl-substituted, formal
 359, 368
 seniority 25(T)
'iminio-' 182
'-iminium' (+ E') 173
'iminium ylide' 197
'imino-' 25(T)
 acid halides 288
 amides 305
 amines 360
 bridge name 124, 126(T)
 carboxylic acids 217
 C-oxoacids 233
 esters 275, 276, 278
 imines 367f.
 multivalent substituent 34(T)
 prefix 156f.
 radicals 163
'-imino-', amides 303ff.
'(iminodiacetato)', ligand name for abbrevia-
 tion 446, 478(T), 588
'(iminodicarbonyl)-', multivalent substitu-
 ent 34(T)
'(iminoethanimino)-', bridge name 126(T)
'(iminomethyl)-' 233
'-iminyl' 164
'-iminylum' 177
'-inane', Hantzsch-Widman names 78(T)
 IUPAC 78(T)
'-inato', ligand name 444
'as-indacene' 89(T)
's-indacene' 89(T)
'indane' 87
'1H-indazole' 93(T)
'1H-indene' 89(T)
'Index Guide' 1, 5, 487
index names
 amide and hydrazide tautomers of car-
 boximidic and carbohydrazonic
 acids 216
 amide and hydrazide tautomers of sul-
 fonimidic and sulfonohydrazonic
 acids and analogs 224, 225
 CA 1
 choice (seniority) 13
 definition 5
 for ligand names, senior 438
 noninversion of the name components 2
 order in 'Chemical Substance Index' of CA
 45
 position of locants 2, 49
 seniority 48
 with modification 159
'Index of Ring Systems'
 bridged fused polycycles 123
 fused polycycles 85
 heteromonocycles 73
 ring assemblies 141
 spiropolycycles 133
 von Baeyer bridged polycycles 117
indicated H atom 547
 bridged fused polycycles 123, 128
 cations 170, 179
 definition 5
 fused polycycles
 with fusion names 97, 112
 with replacement names 115
 with semitrivial or trivial names 86,
 89(T), 91(T)
 heteromonocycles 75, 77
imines 367
ketones 333
nondetachable name part 541
nonstandard valences 594
numbering 50
 ring assemblies 141
 spiropolycycles 136
'indicated hydrogen' 547
'1H-indole' 93(T)
'indoline' 87
'indolizine' 93(T)
'-in(e)'
 fused heteropolycycles with semitrivial
 names 92
 Hantzsch-Widman names 78(T)
infixes
 carboxylic acids 19(T), 214, 216, 218
 C-oxoacids 229
 definition 5
 in IUPAC names 19(T)
 P- and As-oxoacids 22(T), 245
 peroxy acids with suffix 19(T)
 sulfonic acids and analogs 19(T), 224,
 225, 226
'-inidene-', mononuclear substituents 145
'-inidyne-', mononuclear substituents 145
'-inine', Hantzsch-Widman names, IUPAC
 78(T)
'inner salt', zwitterion 195, 196
'-ino-', mononuclear substituents 145

- inorganic acids 237, 243, 244
inorganic compounds, lit. 536
'inosine' 511
'inosinic acid' 511
'inosinyl-' 512
inositols 509
'inosose' 509
interior atoms, numbering of fused polycycles
CA 110
IUPAC 95
'interior chain', numbering of interior atoms of fused polycycles 110
International Union of Pure and Applied Chemistry, see IUPAC
Internet 537
'-io-', cation (prefix) 19(T), 182
'ioda-' 543(T)
'iodane' 429
'iodide' 285ff.
iodides, see acid halides
iodine-containing heterocycles, nonstandard valences 596
'iodo', ligand name 442(T)
'iodo-' 18(T), 288, 292, 429
iodomonocycles, neutral 81
'iodonio-' 182
'iodonium' 170
'iodosyl-' 18(T), 429
'iodyl-' 18(T), 429
'ion(1-)' 189ff.
'*ipso*' 69
'-irane', Hantzsch-Widman names 78(T)
'irehamine' 519
'-irene', Hantzsch-Widman names 78(T)
'-iridine', Hantzsch-Widman names 78(T)
'-irine', Hantzsch-Widman names 78(T)
'(isn)', ligand-name abbreviation 478(T)
'iso-', nondetachable name part 541
'2*H*-isoarsindole' 91(T)
'isoarsinoline' 91(T)
'isoasparagine' 300
'isobenzofuran' 92(T), 97
'isobenzofuro-' 92(T)
'isobenzofuro-' and chalcogen analogs 102
'isobutane' 57
'isobutoxy-', ethers 412
'isobutyl-' 57
'isobutyl alcohol' 348
'isobutyramide' 301
'isobutyric acid'/'isobutyryl-' 204
'isocarbonohydrazide' 326
isocarbonohydrazides 216
'isochromane' 87
'isochromene' 92(T)
'isochromenylum' 179
'isocrotonic acid'/'isocrotonoyl-' 204
'isocyanate' 285ff.
isocyanates
functional-class names 38, 321(T)
see acid halides
'-isocyanatid(o)-', infixes in names
of C-oxoacids 229
of P- and As-oxoacids 245
'isocyanato-' 18(T), 288, 292, 321(T), 378
affix in S-, Se-, and N-oxoacid names 238
'isocyanic acid' 230, 321
'isocyanide' 285ff., 321
isocyanides
functional-class names 38, 321(T)
see acid halides
'-isocyanid(o)-', infix in names
of C-oxoacids 229
of P- and As-oxoacids 245
'isocyano-' 18(T), 288, 292, 321(T), 378
affix in S-, Se-, and N-oxoacid names 238
'isocyanogen' 163
'isocyanyl' 163
'isodiazene' 373
isofulminates, functional-class names 321(T)
'isofulminato-' 321(T)
'isofulminic acid' 230
'isoglutamine' 300
'isoguanosine' 511
'isohexyl-' 58
'2*H*-isoindole' 93(T)
'isoindoline' 87
isolated group, definition 5
isolated ligand, in stereoisomers 559
'(isoleucinato)', ligand name for abbreviation 478(T)
'isoleucine'/'isoleucyl-' 211, 490
isomers
carboperoxoic acids 219
C-oxoacids with peroxy infixes 230
stereoisomers 557
sulfonoperoxoic acids and analogs 226
'isonicotinamide' 301
'(isonicotinamide)', ligand name for abbreviation 478(T)
'isonicotinic acid'/'isonicotinoyl-' 205
'isonitrile' 321
'isopentane' 57
'isopentyl-' 57
'2*H*-isophosphindole' 91(T)
'isophosphinoline' 91(T)
'isophthalamide' 301
'isophthalic acid'/'isophthaloyl-' 205
'isoprene' 57
'isoprene' units 524
'isopropenyl-' 56, 57, 58
'isopropoxy-', ethers 412
'isopropyl-' 56
'isopropyl alcohol' 348
'isopropylamine' 360
'isopropylidene-' 57, 58, 146
'isoquino-' 93(T), 102
'isoquinoline' 93(T)
'isoquinolone' 296, 334
'isoquinolyl-' 88
'isosenazole' 74, 79, 92(T)
'isosenazolidine' 74, 79
'isosenocyanato-' 18(T)
'isosemicarbazide' 325
isosemicarbazides 216
'isosemicarbazone' 326
isosemicarbazones 24(T), 216
'isotellurazole' 74, 79
'isotellurazolidine' 74, 79
'isotellurocyanato-' 18(T)
'isothiazole' 74, 79, 92(T)
'isothiazolidine' 74, 79
'isothiochromane' and chalcogen analogs 87
'isothiochromene' and chalcogen analogs 92(T)
'isothiocyante' and analogs 285ff.
isothiocyantes and analogs
functional-class names 321(T)
see acid halides
'isothiocyante-' 18(T)
'isothiocyante-' and analogs 288, 292, 321(T), 378
affix in S-, Se-, and N-oxoacid names 238
'isothioureia' and analogs 230
isotope composition, natural 599
isotope descriptor
by CA 601
position in names
CA 601
IUPAC 600
isotopically deficient compounds 600
isotopically labeled compounds, by IUPAC 600
isotopically modified compounds 599
by CA 601
by IUPAC 600
numbering 51
isotopically modified compounds, by CA
deuterium (D) and tritium (T) isotopes 602ff.
not localized isotope modification 608
organometallic and coordination compounds 607
other isotopes than D and T 605
isotopically substituted compounds, by IUPAC 600
'isourea' 230, 304
'isoureido-' 305
'isovaleric acid'/'isovaleryl-' 204
'isovaline'/'isovalyl-' 211, 490
'isoviolanthrene' 87
'isoxazole' 74, 79, 92(T)
'isoxazolidine' 74, 79
'isoxazoline' 74
italic Roman letters, locants 49
'-ite'
acid anion (salt) 190, 249
esters 270, 273, 279
'-ito', ligand names 442, 444
'-itol' 497
IUB, see IUPAC
IUBMB, see IUPAC 490
'-ium'
cation (+ E⁺) 19(T), 170
polycation 184
skeletal bonding 178
'-iumide', zwitterion 195
'-iumuide', zwitterion 195
'-iumyl', radical cation 200
'-iumyl-', cation (prefix) 19(T), 182
IUPAC 1
'Blue Book' 1, 3
conformation
of polynucleotide chains (1983) 510
of polypeptides (1974) 490
of polysaccharides (1983) 494
fusion names (1998) 85
glossary of basic terms for polymers (1996) 531
'Green Book' 599
Internet 537
names
for amino acids and peptides (1984) 490
for bridged fused polycycles (1998) 123
for carbohydrates (1996) 494, 526
for carotenoids (1975) 520
for copolymers, source-based (1985) 531
for corrinoids (1976) 526
for cyclitols (1974) 509
for folic acids (1987) 490
for fused polycycles (1998) 85
for glycolipids (1997) 494, 509
for glycoproteins, glycopeptides, and peptidoglycans (1988) 490, 494
for incompletely specified bases in nucleic acid sequences (1985) 510
for inorganic radicals and radical ions (2005) 161
for irregular single-strand organic polymers, structure-based (1994) 531
for metal complexes of tetrapyrroles (2000) 529
for monoterpenes (1979) 520
for natural products (1999) 487, 516, 520
for nonlinear macromolecules and macromolecular assemblies, source-based (1997) 531
for polymers, generic source-based (2001) 531
for prenyls (1987) 520
for radicals, ions, and radical ions

- (1993) 161, 169, 187, 195, 199
 for regular organic ladder or spiro polymers (1993) 531
 for regular single-strand organic polymers (2002) 531
 for regular single-strand or quasi single-strand inorganic and coordination polymers (1985) 531
 for retinoids (1983) 520, 526
 for spiropolycycles (1999) 133
 for steroids (1989) 516, 526
 for synthetic polypeptides (1973) 490
 for tetrapyrroles (1987) 529
 for tocopherols (1982) 526
 for vitamin D (1982) 526
 for vitamins B₆ (1996) 526
 for von Baeyer bridged polycycles (1999) 117
 NMR structures of proteins and nucleic acids (1998) 490, 510
 numbering of *myo*-inositol (1989) 509
 phane nomenclature (1998 and 2002) 117, 123
 recommendations A–F and H (1979) 1
 recommendations R (1993) 1
 'Red Book' 7, 433
 stereodescriptors for polymers (1981) 531
 symbols for nucleic acids and polynucleotides (1974) 510
 IUPAC name, definition 5
- junction site, ring assemblies 142
- kappa descriptor, see κ descriptor
 'kaurane' 523
 ketals 326, 411
 'ketene' 335
 'ketimine' 368
 ketoaldoses 496
 ketone hydrate 351
 ketone hydrazones 333, 341
 ketone oximes 333, 340
 ketones 333
 acyclic 335
 cyclic 333
 functional-class nomenclature 38
 not conjunctive nomenclature 30
 seniority 25(T)
 ketoses 496
 '-ketyl' 201
 'kilia-' 540(T)
 '-kis-' 539
 Klyne–Prelog convention 561
- 'l', stereodescriptor, obsolete 572
 'L'
 amino acids 210, 490, 571
 carbohydrates 494, 571
 cyclitols 509
 peptides 571
 'lactamide' 301
 lactams 23(T), 295
 of peptides 492
 'lactic acid'/'lactoyl-' 209
 lactides 268
 lactims 23(T), 295
 'lactoflavin' 526
 lactones 23(T), 267, 268
 of carbohydrate acids 498
 of monosaccharides 503
 of peptides 492
 of steroids 517
 'lactose' 505
 ladder polymers 532
 lambda convention, see λ convention
- 'lanostane' 523
 'lanthionine' 212, 492
 'lauric acid'/'lauroyl-' 204
 lead compounds, see Pb compounds
 letter locants
 in amide names 299
 in amine names 360
 in ester names 270, 273
 in ligand names 438
 numbering 49
 '(leu)', ligand-name abbreviation 478(T)
 '(leucinato)', ligand name for abbreviation 478(T)
 'leucine'/'leucyl-' 211, 490
 'levulinic acid'/'levulinoyl-' 209
 'ligand', nonsenior central atom 465
 ligand abbreviations 434, 472(T)
 ligand formulas, alphabetical order 472(T)
 ligand names 438ff., 472(T)
 anionic heterocyclic ligands 448
 anionic ligands 442ff.
 of acids 445
 of alcohols 447
 of aldehydes and ketones 450
 of amides 449
 of amines 449
 of esters 448
 of oximes and hydrazones 450
 '-ato' 444ff.
 bridge ligands 453
 cationic ligands 453
 definition 5
 in index names 438
 '-ito' 444ff.
 ligands with noncoordinating acid functions 444
 neutral ligands 451
 nonsenior central atom 465
 order of identical ligand names with and without κ descriptors 438
 with η descriptors 440
 with κ descriptors 438
 with μ descriptors 454
 without description of coordination site 438
 ligand number, in stereoisomers 561, 584
 ligands
 abbreviations 434, 472(T)
 anionic, ligand names 442ff.
 cationic, ligand names 453
 definition 5
 in stereoisomers 559ff.
 isolated, in stereoisomers 559
 mono- or polydentate 438
 multiplying affixes 539
 neutral, ligand names 451
 polydentate, priority numbers 583
 rotationally equivalent, in stereoisomers 560
 with noncoordinating acid functions 444
 ligand segment 5, 470, 582, 584
 lignans, lit. 536
 'limonene' 521
 'linalool' 521
 'linalyl-' 58
 linker, modified
 oligonucleotides 513
 polynucleotides 514
 linking substituents, see multivalent substituents
 'linoleic acid'/'linoleoyl-' 207
 'linolenic acid'/'linolenoyl-' 207
 lipids, lit. 536
 'lithio-' 436
 'lithium aluminum hydride' 437
 locants
 alphanumerical, numbering of fused polycycles 108, 110
- Arabic numerals 49
 citation in names 52
 definition 6
 for stereodescriptors 572
 general naming 14
 Greek letters 49
 indefinite 50
 in peptide names 492
 in the isotope descriptor (IUPAC) 600
 italic, in the isotope descriptor (CA) 601
 italic Roman letters 49
 in alkaloid names 489
 order in names 49
 position in names 49
 primed, in formulas 52
 seniority order 49
 unsaturations 49
- lone pair of electrons, transformation
 convention in the CIP system 564, 584
- 'lumisterol' 527
 'lupane' 523
 '(lut)', ligand-name abbreviation 478(T)
 '(lutidine)', ligand name for abbreviation 478(T)
 'lycopene' 524
 '(lys)', ligand-name abbreviation 478(T)
 '(lysinato)', ligand name for abbreviation 478(T)
 'lysine'/'lysyl-' 211, 490
 'lyxo-' 494
 'lyxose' 494
- 'm', see 'meta'
 'M'
 assignment of configuration 560
 citation in names 571
 main bridge of von Baeyer bridged polycycles 118
 main ring of von Baeyer bridged polycycles 118
 choice (seniority) 119
 '(mal)', ligand-name abbreviation 478(T)
 '(malato)', ligand name for abbreviation 478(T)
 '(male)', ligand-name abbreviation 478(T)
 'maleamide' 301
 '(maleato)', ligand name for abbreviation 478(T)
 'maleic acid'/'maleoyl-' 204
 'maleic anhydride' 257
 '(maleonitriledithiolato)', ligand name for abbreviation 480(T)
 'malic acid'/'maloyl-' 209
 '(malo)', ligand-name abbreviation 480(T)
 'malonaldehyde' 328
 'malonaldehydic acid' 213
 'malonamic acid' 212
 'malonamide' 301
 '(malonato)', ligand name for abbreviation 480(T)
 'malonic acid'/'malonyl-' 204
 'mandelic acid'/'mandeloyl-' 209
 'mannan' 507
 'manno-' 495
 'mannose' 495
 mass numbers, sequence rules 566
 maximum number of noncumulative double bonds
 definition 6
 fused polycycles 85, 95, 97
 indicated H atom 547
 nonstandard valences 594
 'Me', ligand-name abbreviation 480(T)
 'menthadiene' 521
 'menthane' 520
 'menthene' 521

- 'menthol' 351, 521
 '(2-Mepy)', ligand-name abbreviation 480(T)
 'mer-' 588
 'mercapto'
 ligand name 438, 442(T)
 radical name 163
 'mercapto-' 25(T), 153, 347, 350
 '(mercaptoamino)-' 363, 375
 '(mercaptoimino)-' 329, 340
 '(mercaptooxy)-' 25(T), 219, 355, 356
 'mercuranthrene' 91(T)
 'mesaconic acid'/'mesaconoyl-' 204
 'mesityl-' 69
 'mesitylene' 69
 meso compounds 572, 573
 mesomeric ring structure, transformation
 convention in the CIP system
 562, 564, 584
 'mesoxalic acid'/'mesoxalyl-'/'mesoxalo-' 209
 'mesyl-' 226, 287, 421
 'mesylate' 226
 '(mesyloxy)-' 276
 '(met)', ligand-name abbreviation 480(T)
 'meta' 50, 68, 69
 'metaboric acid' 254
 metal atoms, in heteromonocycles 76
 metallocenes 459
 element names 543(T)
 stereodescriptors 592
 'metallocenophane' 460
 metalorganic compounds, see organometal-
 lic compounds
 metal-metal bonds, see bond descriptor in
 coordination names
 metals, definition 433
 metal-substituent prefixes 436, 463
 'metanilic acid' 492
 'metaphosphate' 244
 'metaphosphimic acid' 244
 'metaphosphite' 244
 'metaphosphoric acid' 244
 'metaphosphorous acid' 244
 'metha-' 540(T)
 'methacrylamide' 301
 'methacrylic acid'/'methacryloyl-' 204
 '(methanamine)', ligand name 452(T)
 'methane, monoprotonated' 170
 'methanetetrayl-' 57, 146
 'methan(o)-', bridge name 127(T)
 '(methanol)', ligand name 452(T)
 'methanone' 337
 '(methanoxymethan(o))-', bridge name 127(T)
 'methen(o)-', bridge name 125, 127(T)
 '(methioninato)', ligand name for abbrevia-
 tion 480(T)
 'methionine'/'methionyl-' 211, 490
 'methoxide' 191
 'methoxy'
 ligand name 438, 442(T)
 radical name 164
 'methoxy-' 18(T)
 alcohols 351
 esters 275, 277
 ethers 412
 '-methoxy-'
 esters 275, 276
 'methoxyl' 164
 'methoxylium' 177
 '-methyl-'
 amides 303, 305
 carboxylic acids 217
 C-oxoacids 233
 esters 275, 276
 imines 368
 ketones 335
 parent-substituent name 157
 '-methyl-' 601
 'methyl alcohol' 347
 'methylamine' 360
 'methylcalciol' 527
 'methylene-'
 multivalent substituent 34(T)
 prefix 56, 146
 '[methylenebis(oxy)]-', multivalent substitu-
 ent 34(T)
 'methylene chloride' 430
 'methylidene-' 56
 'methylidyne-'
 multivalent substituent 34(T)
 prefix 56
 'methyn(o)-', bridge name 125, 127(T)
 Mills depiction 494, 499
 '(mnt)', ligand-name abbreviation 480(T)
 modification
 definition 6
 for additive name parts (e.g., 'oxide') 159
 for ionic name parts 159
 in anhydride names 159, 258ff.
 in coordination names 456, 462
 in ester names 159, 270
 in hydrazide names 159, 314
 in hydrazone names 159, 330, 341
 in oxime names 159, 329, 340
 in polymer names 467, 531, 534
 multiplying affixes 539
 'stereoisomer' 572, 591
 modifying syllables 6, 541
 molecular-skeleton parent names, see parent
 names
 molecular-skeleton parents (see also parent
 structures)
 bridged fused polycycles 123ff.
 carbomonocycles 67ff.
 collection 55ff.
 conjunctive nomenclature 30
 definition 6
 determination 41
 double-bond isomers 547
 fused polycycles 85ff.
 heterochains 61ff.
 heteromonocycles 73ff.
 hydrocarbon chains 55ff.
 indicated H atom 547
 numbering 49
 ring assemblies 141ff.
 saturated or partially saturated 36
 spiropolycycles 133ff.
 von Baeyer bridged polycycles 117ff.
 'mono-' 50, 539, 540(T)
 'monoanhydride with...' 260, 262
 monocycles, stereodescriptors 573
 mononuclear substituents, prefixes 145
 monosaccharide names, semisystematic
 496ff.
 monosulfides and analogs 419f.
 monosulfones and analogs 419f.
 monosulfoxides and analogs 419f.
 monoterpenes 520
 '[monothiosulfato(2-)]', ligand name
 445(T)
 'morphinan' 488
 'morpholine' 75
 'morpholino-' 76
 'morpholinyl-' 76
 'MP', stereodescriptor 572
 'muco-inositol' 509
 mu descriptor, see μ descriptor
 multiplication numbers, see multiplying
 affixes
 multiplicative names
 acyclic ethers 412
 acyclic monosulfones, monosulfoxides,
 monosulfides, and analogs 420
 definition 6
 esters 270
 multiplying affixes 539
 not for coordination compounds 454, 463
 polycations 185
 polyradicals 167
 multiplicative nomenclature (see also multi-
 plicative names) 32
 determination of molecular-skeleton
 parents 47
 multiplicative prefixes, see multiplying
 affixes
 multiplying affixes 539, 540(T)
 alphabetical order 53
 conjunctive nomenclature 30
 definition 6
 for anions in coordination names 456
 for cations in coordination names 462
 for central-atom names 464
 for ligand names
 of anionic ligands 442, 444
 of anionic ligands without κ or η
 descriptors 442
 of 'ato' and 'ito' ligands 444
 of bridge ligands 454
 of cationic ligands 453
 of neutral ligands 451
 with η descriptors 440
 with κ descriptors 438
 general naming 15
 hydrocarbon-chain names 55
 in acid halide names 285, 289, 290
 in amide names 299, 304, 306, 307
 in ester names 270, 273
 in fused polycycles with replacement
 names 115
 in fusion names 97, 99, 101
 in heterochain names 62ff.
 in heteromonocycle names 76, 82, 83f.
 in hydrazide names 314, 317
 in hydroperoxide names 355
 in polyborane names 397
 in semitrivial fusion names 89(T)
 in spiropolycycle names 134
 in von Baeyer bridged-polycycle names
 118
 multiplicative nomenclature 32
 multivalent substituents
 multiplicative nomenclature 32, 33
 polycations 185
 polymer names 531
 polyradicals 167
 prefixes 34(T)
 prefixes for ester names 270, 273
 ' β -muramic acid' 495
 'myo-inositol' 509
 'myrcene' 520
 'myristic acid'/'myristoyl-' 204
 '¹⁵N' 599(T)
 N compounds 371
 seniority 26(T)
 N-heterochains 372
 N-heterocycles 371
 N-oxoacids 237
 salts 237
 seniority 21(T)
 name interpretation 13, 15
 'NamExpert' 537
 naming
 general procedure 13
 structure analysis 2
 naming of the nonsenior central atom 465
 'naphthacene' 89(T)
 'naphthalene' 89(T)
 'naphthalene-2-NNO-azoxybenzene' 374
 'naphthaleno-', bridge name 127(T), 128
 'naphthamide' 301
 'naphthionic acid' 223
 'naphth(o)-' 89(T), 102, 541

- 'naphthoic acid'/'naphthoyl-' 205
 'naphthol' 347
 'naphthoquinone' 334
 'naphthyl-' 88
 '-naphthylene' 89(T)
 'naphthyridine' 93(T)
 '(napy)', ligand-name abbreviation 480(T)
 natural products, lit. 536
 '(nbd)', ligand-name abbreviation 480(T)
 negatively charged structure component, transformation convention in the CIP system 564, 584
 'neo-' 523f.
 'neo-inositol' 509
 'neopentane' 57
 'neopentyl-' 57
 'nerol' 521
 'nerolidyl-' 58
 'neryl-' 58
 'α-neuraminic acid' 495
 N-glycosides 505, 510
 '(nia)', ligand-name abbreviation 480(T)
 'niacin' 528
 'nicotinaldehyde' 331
 'nicotinamide' 301
 '(nicotinamide)', ligand name for abbreviation 480(T)
 'nicotinic acid'/'nicotinoyl-' 205
 'ninhydrin' 351
 'nitramide' 306
 'nitrate' 190, 238, 271
 '(nitrato)', ligand name 445(T)
 'nitrate-' 240, 277
 'nitrene' 163
 '-nitrene' 164
 'nitric acid' 238
 nitric acids, seniority 21(T)
 'nitride' 290
 'nitrido', ligand name 443(T)
 '-nitrid(o)-', infix in P- and As-oxoacid names 245
 '-nitrilato', ligand name 444
 '-nitrile' 24(T), 322
 'nitrile imine' 195
 nitrile oxides 322
 nitriles 321, 321(T)
 carbohydrate acids 498
 functional-class names 322
 of peptides 492
 seniority 24(T)
 'nitrilio-' 182
 '-nitrilium' (+ E⁺) 173
 nitrilium ylide' 196
 'nitriolo-' 322
 amines 360
 bridge name 127(T)
 imines 368
 multivalent substituent 34(T)
 '(nitrilotriacetato)', ligand name for abbreviation 446
 'nitrilotriacetic acid' 32
 'nitrite' 190, 238, 271
 '(nitrito-κN)', ligand name 445(T)
 '(nitrito-κO)', ligand name 445(T)
 'nitro-' 18(T), 240, 276, 306, 378
 'aci-nitro-' 18(T), 329, 340, 378
 '(nitroamino)-' 240
 nitrogen compounds, see N compounds
 nitrogen-containing oxoacids, see N-oxoacids
 nitrolic acids 329
 'nitrone' 363, 369
 'nitronic acid' 329, 340
 '(nitrooxy)-' 240
 'nitroroyl-' 238, 329, 340, 379
 '-nitroroyl-' 18(T)
 'nitrosamide' 306
 'nitroso-' 18(T), 240, 276, 306, 339, 378
 affix in S-, Se-, and N-oxoacid names 238
 '(nitrosoamino)-' 240
 nitrosolic acids 329
 'nitrosyl'
 acid halides 290
 ligand name 438, 452(T)
 nitrosyls 434
 'nitrous acid' 238
 nitrous acids, seniority 21(T)
 'nitroxide' 163
 'nitryl', acid halides 290
 '(nmp)', ligand-name abbreviation 480(T)
 'Nomenclator' 537
 nomenclature software 1, 537
 nomenclature terms 3
 nomenclature type 29
 general naming 14
 'nona-' 540(T)
 nondetachable name parts 541
 nondetachable prefixes, see modifying syllables
 nonmetal as central atom 435
 nonsenior central atom, naming 465
 nonstandard amino acid 492
 nonstandard valences 593
 unexpressed 593
 nontetraligant structure components 561, 584
 'nor-'
 alkaloids 489
 nondetachable name part 541
 steroids 517
 triterpenes 523f.
 '(norbornadiene)', ligand name for abbreviation 480(T)
 'norbornane' 520
 'norleucine'/'norleucyl-' 211, 212, 491
 'norspermidine' 364
 norsteroids 517
 'norvaline'/'norvalyl-' 211, 212, 491
 'novi-' 539
 '(nta)', ligand-name abbreviation 446, 480(T)
 nucleic acids 510, 514
 nucleoside bases 510
 nucleoside esters 512
 nucleosides 510
 nucleotides 510
 nuclide symbols
 by CA 599(T), 601
 by IUPAC 599(T), 600
 numbering
 'added' indicated H atom
 in ring assemblies 551
 in spirocycles 551
 bridged fused polycycles 129
 carbohydrates 494
 carbomonocycles 67
 cations 170f., 179
 choice (seniority) in von Baeyer bridged polycycles 119
 compulsory 50
 fused polycycles
 with fusion names 107ff.
 with replacement names 115
 with semitrivial or trivial names 86
 general naming 14
 heterochains 62ff.
 heteromonocycles
 with Hantzsch–Widman names 77
 with replacement names 82
 with trivial names 75
 hydrazones 330, 341
 hydrocarbon chains 55
 identical structure units, multiplicative nomenclature 33
 indicated H atom
 in bridged fused polycycles 548ff.
 in cyclic molecular-skeleton parents 548
 in ring assemblies 548
 in spirocycles 548
 interior atoms of fused polycycles
 CA 110
 IUPAC 95
 isotopically modified compounds 51
 CA 601
 molecular-skeleton parents 49
 multivalent substituents in multiplicative nomenclature 33, 34(T)
 oximes 329, 340
 parent substituents 49
 polymers consisting of structural repeating units 531
 radical cations 200
 ring assemblies 142
 Si-containing heteromonocycle names 84
 spirocycles 134, 136
 steroids 516
 terpenes 520
 von Baeyer bridged polycycles 118
 numerical prefixes, see multiplying affixes
 numerical syllables
 hydrocarbon-chain names 55
 hydrocarbon names 539, 540(T)
 'o', see 'ortho'
 'O', nucleoside abbreviation 511
 '¹⁷O' 599(T)
 O compounds 409
 seniority 27(T)
 O-heterochains (see also peroxides and polyoxides) 411
 O-heterocycles 409
 '-(o)ate'
 acid anion (salt) 190, 220, 227, 234, 249
 esters 270, 273, 279
 '-ocane', Hantzsch–Widman names 78(T)
 IUPAC 78(T)
 '-ocene', metallocene 459
 '-ocin(e)', Hantzsch–Widman names 78(T)
 'octa-' 540(T)
 'octahedro' 467
 'octi-' 539
 'octose' 496
 '-odialdose' 496
 '-odiulose' 496
 '(oep)', ligand-name abbreviation 480(T)
 '-ofuranose' 498
 '-ofuranoside' 504
 '-ofuranosyl-' 504
 '-ohydrazide' 314
 '-ohydrazonoyl-', acyl prefix 217
 '-ohydroximoyl-', acyl prefix 217
 '-oic acid' 20(T), 203
 alkaloids 489
 carotenoids 524
 '-oic acid anhydride' 23(T)
 '-oic acid ester' 23(T)
 '-oic acid hydrazide' 24(T)
 '-(o)ic acid hydrazide' 314
 '-(o)ite'
 acid anion (salt) 190, 249
 esters 270, 273, 279
 '-ol' 25(T), 347
 carotenoids 524
 '-olactam' 295
 '-olactim' 295
 '-olactone' 268
 '-olane', Hantzsch–Widman names 78(T)
 '-olate' 191
 '-olato', ligand name 444
 '-ole', Hantzsch–Widman names 78(T)
 'oleamide' 301
 'oleanane' 523
 'oleic acid'/'oleoyl-' 204
 '-olene' 77
 'olide' names 268

- '-olidine', Hantzsch–Widman names 78(T)
 oligonucleotides 512
 oligosaccharides 505
 '-oline' 74, 77
 '-olone' 295, 334
 '-onane', Hantzsch–Widman names 78(T)
 IUPAC 78(T)
 '-onato', ligand name 444
 '-one' 25(T), 333ff.
 carotenoids 524
 '-onia-' 19(T), 543(T)
 cation by ring formation 179
 cation by skeletal bonding 179
 cation (+ E⁺) 171
 polycation 184
 '-onia...yl-', cation (prefix) 182
 '-onic acid' 497
 '-onin(e)', Hantzsch–Widman names 78(T)
 '-onitrile' 322
 optical rotation 572
 '-opyranose' 498
 '-opyranoside' 504
 '-opyranosyl-' 504
 '-oranyl-', mononuclear substituents 145
 '-oranylidene-', mononuclear substituents 145
 '-oranylidyne-', mononuclear substituents 145
 organometallic compounds 433, 458
 central-atom names 436
 element names 543(T)
 seniority 19(T), 27(T), 434
 stereodescriptors 470, 582
 orientation of fused polycycles 107
 'ornithine'/'ornithyl-' 211, 491
 'rotic acid' 510
 'rotidine' 511
 'ortho' 50, 68, 69
 'orthoacetate' 413
 orthocarboxylic acids 23(T)
 esters 271, 273, 411
 'orthosulfurous acid' 238
 osazones 24(T), 325, 330, 333, 341
 of carbohydrates 503
 '-ose' 496ff.
 '-oseptanose' 498
 '-oseptanoside' 504
 '-osulose' 496
 '-osyl-' 504
 'ovalene' 90(T)
 '(ox)', ligand-name abbreviation 480(T)
 'oxa-' 541, 543(T)
 'oxalacetic acid'/'oxalacetyl-'/'oxalaceto-' 209
 'oxalaldehydic acid' 213
 '(oxalato)', ligand name for abbreviation 480(T)
 'oxalic acid'/'oxalyl-'/'oxalo-' 204
 'oxalyl-' 207
 'oxamic acid'/'oxamoyl-' 214
 'oxamide' 301
 'oxanthrene' 91(T)
 'oxayohimban' 488
 'oxazole' 79
 'oxazolidine' 79
 'oxidane' 412
 oxidation number 6, 434
 'oxidato', ligand name 444
 'oxide' 36
 amine N-oxides 363
 nonstandard valences 594
 pseudoketones 339
 S-, Se-, and Te-heterocycles 416
 oxides
 of aldehydes 326
 of amines 363
 of ketones 333
 of nitriles 322
 of polymers 531
 'oxido-' 36
 nonstandard valences 594
 pseudoketones 339
 S-, Se-, and Te-heterocycles 416
 '(oxidoamino)-' 363
 '(oxidoimino)-' 363
 'oximato', ligand name 444
 'oxime' 329, 340
 oximes
 of acid halides 325
 of acids 23(T)
 of aldehydes 24(T), 325
 seniority 24(T)
 of amides 325
 of carboxylic acids 325
 of ketones 24(T), 333
 seniority 24(T)
 of monosaccharides 503
 pseudooesters 267
 'oxindole' 342
 'endo-oxirano-', bridge name 128
 'oxo', ligand name 442(T)
 'oxo-'
 acid halides 288
 aldehydes 24(T), 327
 amides 303
 carboxylic acids 203, 205
 esters 275, 278
 ketones 25(T), 334ff.
 prefix 156
 radicals 163
 '(oxoalkanido)', ligand names 450
 oxocarboxylic acids 208f.
 '(1-oxoethane-1,2-diyl)-', multivalent substituent 34(T)
 'oxonio-' 182
 'oxonium'
 cation 170
 ligand name 453(T)
 'oxonium ylide' 197
 'oxy-', multivalent substituent 34(T)
 '-oxy', radical name 164
 '-oxy-' 18(T)
 esters 274ff.
 ethers 412
 S-, Se-, Te-, and N-oxoacids 240
 '[oxybis(methylene)]-', multivalent substituent 34(T)
 '(-oxycarbonyl)-' 23(T)
 '(oxydicarbonyl)-' 23(T), 263
 oxygen compounds, see O compounds
 '-oxyl' 165
 'oxytocin' 493
 '-oyl', acid halide suffix 286(T)
 '-oyl-', acyl prefix 204, 205
 '-oyl halide' 24(T), 286(T)
 ozonides, lit. 536

 'p', see 'para'
 'p'
 assignment of configuration 560
 citation in names 571
 '³²P' 599(T)
 P compounds 383
 seniority 26(T)
 P-heterochains 384
 P-heterocycles 383
 P-oxoacids 243
 salts 243, 249
 seniority 22(T)
 'palmitamide' 301
 'palmitic acid'/'palmitoyl-' 204
 'pamidronic acid' 250
 'pantothenic acid' 214, 492, 526
 'para' 50, 68, 69
 parent cation, choice (seniority) 185
 parent component
 benzoheteromonocycle 96
 definition 6
 fusion side 103
 multiple occurrence 99, 105
 names 99ff.
 nonsenior 95
 senior (choice) 89(T), 91(T), 98
 parent-component letters 103
 order 106
 parent compounds, see parent structures
 parent hydrides, see parent structures
 parent names
 bridged fused polycycles 123ff.
 carbomonocycles 67ff.
 collection 55ff.
 definition 6
 for identical structure units, multiplicative nomenclature 32
 fundamental fused carbopolycycles 89(T)
 fundamental heterocycles 91(T)
 fused polycycles 85ff.
 general naming 14
 heterochains 61ff.
 heteromonocycles 73ff.
 hydrocarbon chains 55ff.
 ring assemblies 141ff.
 seniority 41
 spiropolycycles 133ff.
 substitutive nomenclature 29
 von Baeyer bridged polycycles 117ff.
 parent radical, choice (seniority) 167
 parents, see parent structures
 parent structures
 choice (seniority) 41
 definition (molecular-skeleton parents, functional parents, stereoparents) 6
 parent-substituent names
 alphabetical order 53
 definition 7
 functional-class nomenclature 39
 general naming 14
 seniority 41
 substitutive nomenclature 29
 parent substituents
 choice (seniority) 153, 154
 definition 7
 numbering 49
 'partial', CA stereodescriptors until 1999 574ff.
 Pb compounds 403, 458
 seniority 27(T)
 stereodescriptors 582, 585
 Pb-heterochains 405
 Pb-heterocycles 403
 '(pc)', ligand-name abbreviation 480(T)
 '(1,2-pdta)', ligand-name abbreviation 480(T)
 '(1,3-pdta)', ligand-name abbreviation 480(T)
 'penta-' 540(T)
 'pentacene' 90(T)
 'pentaerythritol' 347
 'pentafulvalene' 141
 'pentalene' 89(T)
 '(N,N,N',N'',N''-pentamethyldiethylenetriamine)', ligand name for abbreviation 480(T)
 'pentaphene' 90(T)
 'pentose' 496
 pentoses 494
 '(tert-pentyl)-' 57
 peptides 299, 492, 535
 biologically active 493
 not replacement names 61
 stereodescriptors 571
 peptidoglycans, see IUPAC
 'peracetic acid' 219
 peracids, see peroxy acids
 'perbenzoate' 192
 'perbenzoic acid' 219
 'perchlorate' and analogs 237
 '(perchlorato)', ligand name 445(T)

- 'perchloric acid' and analogs 237
 'perchloryl-' 18(T), 429
 'performic acid' 231
 'perhydro-'
 bridged fused polycycles 128
 fused polycycles 86, 112, 115
 Hantzsch–Widman names 77, 78(T)
 heteromonocycles 75
 '1*H*-perimidine' 93(T)
 'periodinane' 432
 'periodyl-' 429
 peripheral numbering, fused polycycles 108
 'peroxide' 27(T), 258, 260, 410
 peroxides 38, 410
 '-peroxo-', infix in names
 of carboxylic acids 218
 of C-oxoacids 230
 of P- and As-oxoacids 245
 of sulfonic acids and analogs 226
 '-peroxoic acid' 19(T), 218
 '-peroxothioic acid' 218
 'peroxy', ligand name 438, 443(T)
 'peroxy-', affix in names
 of polynuclear C-oxoacids 232
 of polynuclear P- and As-oxoacids 249
 of polynuclear S- and Se-oxoacids 239
 of S-, Se-, and N-oxoacids 238
 '-peroxy-' 410
 peroxy acid esters
 formal dichalcogenides 418
 formal peroxides 410
 peroxy acids
 carboperoxoic acids and analogs 218
 C-oxoacids 230
 formal acid halides 287, 289, 291
 formal amides 299, 304, 306, 307
 formal anhydrides 258, 260, 262
 formal hydroperoxides 355
 P- and As-oxoacids 245
 seniority 19(T)
 sulfonoperoxoic acids and analogs 226
 peroxydicarboxylic acids, see carboperoxoic acids and analogs
 'peroxydicarbonic acid' 21(T), 232
 'peroxydiphosphoric acid' 249
 'peroxydisulfuric acid' 240
 'peroxypropionic acid' 219
 peroxyulfonic acids, see sulfonoperoxoic acids and analogs
 'perylene' 90(T)
 'peryl(o)-' 90(T), 102
 'Ph', ligand-name abbreviation 480(T)
 phanes 117, 123
 phantom atoms, see dummy atoms
 '(phe)', ligand-name abbreviation 480(T)
 '(phen)', ligand-name abbreviation 480(T)
 'phenacyl', radical name 161
 'phenacyl-', prefix 335, 337
 '1*H*-phenalene' 89(T)
 'phenanthrazine' 94(T)
 'phenanthrene', exception of numbering 89(T), 112
 'phenanthridine' 93(T)
 'phenanthro-' 89(T), 102
 'phenanthrol' 347
 'phenanthroline' 93(T)
 'phenanthrone' 334
 'phenanthryl-' 88
 'phenarsazine' 93(T)
 'phenazine' 91(T), 93(T)
 '-phene' 90(T)
 'phenethyl-' 69
 'phenethyl alcohol' 351
 'phenetidine' 364
 'phenetole' 414
 'pheno-' 92(T)
 'phenol' 347
 phenols 347
 seniority 25(T)
 'phenomercurine' 91(T)
 'phenophosphazine' 93(T)
 '10*H*-phenoselenazine' 94(T)
 '10*H*-phenotellurazine' 93(T)
 '10*H*-phenothiarsine' 92(T)
 '10*H*-phenothiazine' 94(T)
 '10*H*-phenoxantimonin' 92(T)
 '10*H*-phenoxaphosphine' 92(T)
 '10*H*-phenoxarsine' 92(T)
 'phenoxaselenin' 92(T)
 '10*H*-phenoxasilin' 92(T)
 '10*H*-phenoxastibinin' 92(T)
 'phenoxatellurin' 92(T)
 'phenoxathiin' 92(T)
 '10*H*-phenoxazine' 94(T)
 'phenoxide' 191
 'phenoxy'
 ligand name 442(T)
 radical name 165
 'phenoxy-' 18(T)
 alcohols 351
 esters 277
 ethers 412
 'phenyl', ligand name 438, 442(T)
 'phenyl-' 68, 148
 '(phenylalaninato)', ligand name for abbreviation 480(T)
 'phenylalanine'/'phenylalanyl-' 211, 491
 '(phenylazo)', ligand name 443(T)
 '(phenylazo)-' 373
 'phenyldiazenol' 375
 'phenyldiazoic acid' 375
 'phenylene-'
 multivalent substituent 34(T)
 prefix 68, 148
 '-phenylene' 89(T)
 'phenylenediamine' 361
 '(phenylsulfonyl)', ligand name 442(T)
 'phloroglucin' 351
 'phorbine' 529
 'phosgene' 230
 'phospha-' 543(T)
 'phosphane' 63, 385
 'phosphanthrene' 91(T)
 'phosphanthridine' 91(T)
 'phosphate' 190, 243, 271
 phosphate residue, in nucleotides 511f.
 phosphates, of nucleosides 510, 512
 '[phosphato(3-)]', ligand name 445(T)
 phosphazines 24(T), 325, 330, 333, 341
 'phosphenate' 244
 'phosphenic acid' 244
 phosphenic acids, seniority 22(T)
 'phosphenite' 244
 'phosphenous acid' 244
 phospheneous acids, seniority 22(T)
 'phosphetene' 77
 'phosphide' 188
 'phosphido', ligand name 443(T)
 'phosphinate' 243
 '1*H*-phosphindole' 91(T)
 'phosphindolizine' 91(T), 93(T)
 'phosphine' 26(T), 63, 385
 '(phosphine)', ligand name 452(T)
 'phosphine imide' 26(T), 367, 368, 386
 'phosphine oxide' 26(T), 386
 'phosphine sulfide' and analogs 26(T), 386
 'phosphinic acid' 243
 '-phosphinic acid' 22(T), 244
 phosphinic acids, seniority 22(T)
 'phosphinico-' 22(T), 153, 248, 386
 'phosphinidene', ligand name 443(T)
 'phosphinidene-'
 bridge name 127(T)
 P-heterochains 385
 P-oxoacids 247, 248
 'phosphinidenio-' 182
 'phosphinidyne-'
 bridge name 127(T)
 P-heterochains 385
 P-oxoacids 247
 'phosphinimine' 368, 386
 'phosphinimyl-'
 P-heterochains 386
 P-oxoacids 247, 248
 '-phosphinimyl-' and analog
 acid halides 292
 amides 308
 esters 277
 'phosphinimylidene-', P-oxoacids 247, 248
 'phosphinite' 244
 'phosphino', ligand name 438, 443(T)
 'phosphino-'
 P-heterochains 64, 385
 P-oxoacids 247, 248
 '-phosphino-' and analog
 acid halides 292
 amides 308
 esters 277
 'phosphinoline' 91(T)
 '4*H*-phosphinolizine' 91(T), 93(T)
 'phosphinothiyl-' and analogs
 P-heterochains 386
 P-oxoacids 247, 248
 '-phosphinothiyl-' and analogs
 acid halides 292
 amides 308
 esters 277
 'phosphinothiylidene-' and analogs
 P-heterochains 386
 P-oxoacids 247, 248
 'phosphinothiylidyne-' and analogs
 P-heterochains 386
 P-oxoacids 247
 'phosphinous acid' 244
 '-phosphinous acid' 22(T), 244
 phosphinous acids, seniority 22(T)
 'phosphinoyl-' 247
 'phosphinyl', ligand name 442(T)
 'phosphinyl-'
 P-heterochains 386
 P-oxoacids 247, 248
 '-phosphinyl-' and analog
 acid halides 292
 amides 308
 esters 277
 'phosphinylidene-'
 P-heterochains 386
 P-oxoacids 247, 248
 '-phosphinyl-' and analog
 acid halides 292
 amides 308
 esters 277
 'phosphinylidene-'
 P-heterochains 386
 P-oxoacids 247, 248
 'phosphinylidyne-', P-oxoacids 247
 'phosphite' 190, 243, 271
 'phospho-'
 esters 277
 P-heterochains 386
 P-oxoacids 247
 '(phosphoamino)-' 308
 'phospholipid' 271
 'phosphonate' 243
 '[phosphonato(2-)]', ligand name 445(T)
 'phosphonic acid' 243, 244
 '-phosphonic acid' 22(T), 244
 phosphonic acids, seniority 22(T)
 'phosphonio-' 182
 'phosphonite' 243
 '[phosphonito(2-)]', ligand name 445(T)
 'phosphonitrile' 290
 'phosphonitrile amide' 291, 307
 'phosphonium'
 cation name 170, 175
 ligand name 453(T)
 'phosphonium ylide' 196
 'phosphono-'
 esters 277
 P-heterochains 386
 P-oxoacids 22(T), 247

- 'phosphono-' (cont.)
 prefix 153
 '(phosphonoamino)-' 308
 'phosphononitridyl-'
 P-heterochains 386
 P-oxoacids 247
 'phosphononitrylidene-', P-oxoacids 247
 'phosphonous acid' 243
 '-phosphonous acid' 22(T), 244
 phosphonous acids, seniority 22(T)
 'phosphonyl-' 248
 'phosphorane' 26(T), 63, 196, 385
 'phosphoranyl-', P-heterochains 385
 'phosphoric acid' 243, 244
 phosphoric acids, seniority 22(T)
 'phosphoric trihydrazide' 317
 'phosphorin' 78(T)
 'phosphorinane' 78(T)
 '[phosphorofluoridato(2-)]', ligand name 445(T)
 'phosphoroso-'
 esters 277
 P-heterochains 386
 P-oxoacids 247
 '(phosphorosamino)-' 308
 'phosphorous acid' 243
 phosphorus compounds, see P compounds
 phosphorus-containing oxoacids,
 see P-oxoacids
 'phosphoryl-' 248
 'phosphoryl' names 291
 'phthalaldehyde' 328
 'phthalaldehydic acid' 213
 'phthalamide' 301
 'phthalate' 192
 'phthalazine' 93(T)
 'phthalic acid'/'phthaloyl-' 205
 'phthalic anhydride' 258
 'phthalide' 268
 'phthalimide'/'phthalimido-' 296
 '29H,31H-phthalocyanine' 529
 '1H-phthaloperine' 94(T)
 'phylloquinone' 528
 'phytyl-' 58
 'phytol' 351, 522
 'picene' 90(T)
 'picolinic acid'/'picolinoyl-' 208
 'picrate' 193
 'picric acid' 347
 pilot atom, obsolete in the CIP system 561
 'pimelic acid'/'pimeloyl-' 204
 'pinacol' 347
 'pinadiene' 521
 'pinane' 520
 '(pip)', ligand-name abbreviation 480(T)
 'piperazine' 74
 'piperidine' 74
 'piperidino-' 76
 'piperidyl-' 76
 'piperonal' 331
 'piperonylic acid'/'piperonyloyl-' 209
 'piperylene' 58
 'pivalic acid'/'pivaloyl-' 204
 planar chirality, see chirality axis, stereogenic axis
 'pleiadene' 89(T)
 'plumba-' 543(T)
 'plumbane' 27(T), 63, 405
 'plumban(o)-', bridge name 127(T)
 plumbathianes 65
 'plumbyl-' 64, 405
 'plumbylene-' 405
 'plumbylidyne-' 405
 'PM', stereodescriptor 572
 '(pmdien)', ligand-name abbreviation 480(T)
 '(pn)', ligand-name abbreviation 453, 480(T)
 'poly-' 531
 polyamides 299, 531
 polyanions 194
 'polyarsenamide' 307
 polyboranes 397
 polycarbonates 531
 polycarboxylic acids 205
 polycations 184
 polycycles, fused, see fused polycycles
 polyesters 531
 polyhedral symbols 582(T)
 coordination compounds 470, 582
 definition 7
 polymers 531
 CA indexes 531
 coordination compounds 467, 531
 general naming 13
 not replacement names 61
 siloxanes 531
 polynuclear coordination compounds 433, 463ff.
 stereodescriptors 592
 polynuclear C-oxoacids 232
 polynuclear P- and As-oxoacids 249
 polynuclear S- and Se-oxoacids 239
 polynucleotide 'complex' 535
 polynucleotides 514, 535
 modified 514
 polyoxides 38, 410
 polypeptides, see peptides
 'polyphosphoramidate' 307
 polyphosphoric acids 512
 polyradicals 167
 polysaccharides 507, 508, 535
 'polyselane' 418
 polyspiro structures 137
 'polysulfane' 418
 polysulfides 38
 polysulfides and analogs 417
 polysulfones 38
 polysulfones and analogs 416
 polysulfoxides 38
 polysulfoxides and analogs 416
 'polytellane' 418
 polyurethanes 531
 'porphine' 529
 '21H,23H-porphyrizine' 529
 'porphyrin' 527, 529
 'porphyrinogen' 529
 porphyrins 529
 metal complexes 529
 position of locants in index names 2, 49
 'potassio-' 436
 '(ppIX)', ligand-name abbreviation 480(T)
 'pR' 561
 prefixes
 alphabetical order 53
 anion substituents 193
 bridged fused-polycycle substituents 128, 149, 150
 carbomonocycle substituents 67, 148
 carbonyl-containing substituents and analogs 156
 cation substituents 182
 composite substituents 153
 composite substituents, alphabetical order 53
 compound classes 19ff.(T)
 compulsory 18(T)
 conjunctive nomenclature 30
 definition 7
 for identical structure units, multiplicative nomenclature 32
 functional-class nomenclature 39
 fused-polycycle substituents 87, 112, 115, 149, 150
 general naming 13
 heterochain substituents 62ff., 147
 heteromonocycle substituents 75, 77, 82, 84, 150
 hydrocarbon-chain substituents 55ff., 146
 locants 50, 51
 mononuclear substituents 145
 multiplying affixes 539
 multivalent substituents 34(T)
 order in heading parents 155
 ring-assembly substituents 142, 152
 spiropolycycle substituents 134, 138, 149, 150
 substitutive nomenclature 29
 subtractive 37, 541
 von Baeyer bridged-polycycle substituents 120, 149, 150
 'pregnane' 516
 'prenols' 523
 'prenyl-' 59
 primary amines 360
 primary attached component, see attached component
 priming convention, priority numbers 583
 principal chain
 C compounds 426
 definition 7
 determination of molecular-skeleton parents 42, 46
 principal group
 assignment of 'added' indicated H atom 553f.
 assignment of indicated or 'added' indicated H atom 552
 choice (seniority) 13, 19(T)
 definition 7
 determination of molecular-skeleton parents 41
 in conjunctive nomenclature 30
 locants 50
 no indicated H atom 553
 priority, see seniority
 priority letters 7, 560
 priority numbers 7, 470, 582
 'prismane' 118
 '(pro)', ligand-name abbreviation 480(T)
 '(prolinato)', ligand name for abbreviation 480(T)
 'proline'/'prolyl-' 211, 491
 'propa-' 540(T)
 'propargyl-' 58
 'propiolamide' 301
 'propionic acid'/'propioloyl-' 204
 'propionamide' 301
 'propionic acid'/'propionyl-' 204
 'propoxide' 191
 'propoxy', radical name 165
 'propoxy-' 18(T)
 alcohols 351
 esters 277
 ethers 412
 '-propoxy-', esters 275
 'propriophenone' 337
 'propylene-' 56, 58
 '(1,2-propylenediaminetetraacetato)', ligand name for abbreviation 480(T)
 '(1,3-propylenediaminetetraacetato)', ligand name for abbreviation 480(T)
 'protocatechuic acid'/'protocatechuoyl-' 209
 'proton' 169, 187
 '(protoporphyrinato IX)', ligand name for abbreviation 480(T)
 'pS' 561
 pseudo
 definition 7
 pseudoacid halides
 P- and As-heterochains 385
 P- and As-heterocycles 384
 pseudoacids
 definition 7
 P- and As-heterochains 385
 P- and As-heterocycles 384

- pseudoalcohols 350
boranes 400
definition 7
Ge-, Sn-, and Pb-heterochains 406
Ge-, Sn-, and Pb-heterocycles 404
general naming 13, 25(T)
N-heterochains 374
N-heterocycles 372
P- and As-heterochains 386
P- and As-heterocycles 384
polyboranes and B-heterocycles 399
Sb- and Bi-heterochains 393
Sb- and Bi-heterocycles 392
- pseudoamides
definition 7
- pseudoamides (see also 'unexpressed amides')
general naming 13, 25(T)
ketones 335
N-heterochains 374
- 'pseudoasymmetric' axis 559, 561
'pseudoasymmetric' center 559, 560, 573
- pseudoatom, stereodescriptors 591
- pseudoesters
(acyloxy) prefixes 350
definition 7, 267
Ge-, Sn-, and Pb-heterochains 406
Ge-, Sn-, and Pb-heterocycles 404
general naming 13
hydroxylamines 267
N-heterochains 374
N-heterocycles 372
oximes 267
P- and As-heterochains 385
P- and As-heterocycles 384
polyboranes and B-heterocycles 399
Sb- and Bi-heterochains 393
Sb- and Bi-heterocycles 392
- pseudohydroperoxides
general naming 13, 25(T)
hydroperoxides 356
N-heterochains 374
N-heterocycles 372
P- and As-heterocycles 384
polyboranes and B-heterocycles 399
Sb- and Bi-heterocycles 392
- pseudoimines 367
definition 7
P- and As-heterocycles 384
S-, Se-, and Te-heterocycles 416
Sb- and Bi-heterocycles 392
- pseudoketones
acyl prefixes 335, 337
additive names 338
boranes 400
definition 7
general naming 13, 25(T)
N-heterochains 374
N-heterocycles 372
P- and As-heterochains 267, 386
P- and As-heterocycles 384
polyboranes and B-heterocycles 399
Sb- and Bi-heterochains 393
Sb- and Bi-heterocycles 392
Si-, Ge-, Sn-, and Pb-heterochains 406
Si-, Ge-, Sn-, and Pb-heterocycles 404
- pseudopeptide bond 492
- pseudoprefixes 36, 339
- 'pseudouridine' 511
- 'psicose' 495
- 'pteridine' 93(T)
- 'pteroic acid' 493
- 'pteroylglutamic acid' 493
- '(ptn)', ligand-name abbreviation 480(T)
- '7H-purine', exception of numbering 93(T), 112
- 'putrescine' 364
- '(py)', ligand-name abbreviation 480(T)
- '2H-pyran' 73, 92(T)
- 'pyranthrene' 90(T)
- 'pyrazine' 74, 92(T)
- '1H-pyrazole' 74, 92(T)
- 'pyrazolidine' 74
- 'pyrene' 89(T)
- 'pyridazine' 75, 93(T)
- 'pyridine' 74, 92(T)
- '(pyridine)', ligand name 438, 452(T)
- 'pyridinio-' (prefix) 182
- 'pyridinyl', ligand name 438, 442(T)
- 'pyrido-' 92(T), 102, 541
- 'pyridone' 334
- 'pyridoxal' 526
- 'pyridoxamine' 526
- 'pyridoxine' 351, 526
- 'pyridoxol' 351, 526
- 'pyridyl-' 76, 88
- 'pyrimidine' 74, 93(T)
- 'pyrimido-' 93(T), 102
- 'pyrindine' 86
- 'pyrocarbonic acid' 232
- 'pyrocatechol' 347
- 'pyrogallol' 351
- 'pyroglutamic acid' 214
- 'pyrophosphoric acid' 249
- 'pyrosulfuric acid' 239
- 'pyrosulfurous acid' 239
- '1H-pyrrole' 74, 92(T)
- 'pyrrolidine' 74
- 'pyrrolidone' 296, 334
- 'pyrroline' 74
- '1H-pyrrolizine' 93(T)
- 'endo-pyrrolo-', bridge name 128
- 'pyruvamide' 301
- 'pyruvic acid'/'pyruvoyl-' 209
- 'pyrylium' 179
- '(pyz)', ligand-name abbreviation 480(T)
- '(pz)', ligand-name abbreviation 480(T)
- '(qdt)', ligand-name abbreviation 480(T)
- 'quater-' 141, 539
- quercitols 509
- '(quin)', ligand-name abbreviation 480(T)
- 'quinazoline' 93(T)
- '1H-quinoline' 94(T)
- '1H-quinindoline' 94(T)
- 'quino-' 93(T), 102
- 'quinoline' 93(T)
- '4H-quinolizine' 93(T)
- 'quinolone' 296, 334
- 'quinolyl-' 88
- '-quinone' 334
- 'quinovose' 503
- 'quinoxaline' 93(T)
- 'quinque-' 539
- 'quinuclidine' 118
- 'r', stereodescriptor 573
- 'R'
assignment of configuration 560
CA stereodescriptors until 1999 573ff.
citation in names 571
stereogenic central atom, determination 583
- 'R*'
by IUPAC 572
CA stereodescriptors until 1999 573ff.
- 'rac', stereodescriptor 573
- racemates, stereodescriptors 572
- radical center
at characteristic group 163
at molecular-skeleton parents 161
at N atom 164
at O atom or chalcogen analogs 164
- 'radical ion(1+)' 199, 200
- 'radical ion(1-)' 199, 200
- radical ions 199
- radicals 161
definition 7
seniority 19(T)
- radicofunctional names, see functional-class names
- 'raffinose' 506
- ratio
in anhydride names 262
in coordination names 456, 462
in ester names 273
in salt names 233, 249
- 'Red Book' 7, 433
- reference atom, in monosaccharides 499
- reference center, for CA stereodescriptors until 1999 573ff.
- reference plane
for CA stereodescriptors until 1999 573ff.
in bicyclo[X.Y.Z]alkanes 573
in *meso* ring structures 573
in monocycles and ring assemblies 573
in stereogenic double bond 561
- 'rel'
citation in names 572
meso compounds 572
- replacement names
acyclic ethers 411
acyclic monosulfones, monosulfoxides, monosulfides, and analogs 420
amides 299
amines 359
anhydrides 258
B-heterochains 401
cations 171, 179
definition 7
esters 269
heteroatom syllables 543(T)
heterochains 61
hydrazides 314
ketones 335
N-heterochains 375
not for steroids 517
O-heterochains 411
P- and As-heterochains 388
polycations 184
porphyrins 529
S-, Se-, and Te-heterochains 420
Sb- and Bi-heterochains 394
seniority 61
Si-, Ge-, Sn-, and Pb-heterochains 407
replacement nomenclature (see also replacement names)
fused polycycles 95, 114
heteromonocycles 81f.
prerequisites for heterochains 61
Sb-, Bi-, Ge-, Sn-, or Pb-heteromonocycles 79
Si-containing fused polycycles 95, 114
spiropolycycles 134
von Baeyer bridged polycycles 118
- 'resorcinol' 347
- 'retinal' 522
- 'retinoic acid' 522
- retinoids 522
- 'retinol' 522, 526
- 'retro' names, carotenoids 525
- 'rhamnose' 503
- 'rhodanine' 309
- 'rhodopin' 525
- 'rhodoxanthin' 525
- 'ribo-' 494
- 'riboflavin' 526
- '-ribonucleic acid' 514
- 'ribose' 494
- ring analysis 85
- ring assemblies 141
'added' indicated H atom 551

- ring assemblies (cont.)
determination of molecular-skeleton
parents 41
indicated H atom 548
multiplying affixes 539
of benzene components 141
of carbomonocycles 141
of heteromonocycles with 'cyclo-' names
141
of Si-containing heteromonocycles 142
stereodescriptors 573
with substituent names 141
- ring-assembly substituents
of branched polyphenyls 152
prefixes 142, 152
- ring component, in conjunctive nomenclature 30
- ring structure, transformation convention in
the CIP system 563, 584
- 'Ring Systems Handbook'
bridged fused polycycles 123
fused polycycles 85
heteromonocycles 73
ring assemblies 141
spiropolycycles 133
von Baeyer bridged polycycles 117
- 'RNA' 514
- rotaxanes, lit. 536
- 'RS', stereodescriptor 572
- 'rubicene' 90(T)
- 'S'
assignment of configuration 560
CA stereodescriptors until 1999 573ff.
citation in names 571
stereogenic central atom, determination
583
- 'S*'
by IUPAC 572
CA stereodescriptors until 1999 573ff.
- '³⁵S' 599(T)
- S compounds 415
seniority 27(T)
- S-heterochains 416ff.
- S-heterocycles 415
- S-oxoacids 237
salts 237
seniority 21(T)
- 'saccharin' 309
- 'saccharose' 505
- '(sal)', ligand-name abbreviation 480(T)
- '(salan)', ligand-name abbreviation 480(T)
- '(saldien)', ligand-name abbreviation 482(T)
- '(salen)', ligand-name abbreviation 482(T),
588
- '(salgly)', ligand-name abbreviation 482(T)
- '(salicylato)', ligand name for abbreviation
480(T)
- 'salicylic acid' 351
- 'salicylic acid'/'salicyloyl-' 209
- 'salicylic alcohol' 349
- '(salicylideneanilinato)', ligand name for
abbreviation 480(T)
- '(salicylideneglycinato)', ligand name for
abbreviation 482(T)
- '(salpn)', ligand-name abbreviation 482(T)
- 'salt' 189ff., 220, 227, 249, 278
- '(saltn)', ligand-name abbreviation 482(T)
- salts
acetylides 458
carbonyls 434
lit. 536
neutral compounds MH₂ 442
nitrosyls 434
of boric acids 254
of boronic and borinic acids 255
of carbohydrate acids 498
of carboxylic acids and analogs 220
of coordination anions 461
of coordination cations 456
of C-oxoacids 233
of esters 278
of P- and As-oxoacids 243, 249
of polynuclear coordination compounds
463
of S-, Se-, Te-, and N-oxoacids 237f.
of silicic acids 253
of sulfonic acids and analogs 227
polymers 531
'salt with...' 189ff.
'sarcosine' 214, 492
'sarpagan' 488
saturated atom
angular center in cyclic molecular-skel-
eton parent 547
between two bivalent heteroatoms 547
- Sb compounds 391, 458
seniority 26(T)
- Sb-heterochains 392
- Sb-heterocycles 391
- Sb-oxoacids 253
seniority 22(T)
- Schiff bases 362, 368
- SciFinder® 1
- 'scyllo'-inositol' 509
- '(sdta)', ligand-name abbreviation 482(T)
- Se compounds 415
seniority 27(T)
- Se-heterochains 416ff.
- Se-heterocycles 415
- Se-oxoacids 237
salts 237
seniority 21(T)
- 'sebacic acid'/'sebacoyl-' 204
- 'sec-' 541
- 'seco-'
alkaloids 489
nondetachable name part 541
oligonucleotides 513
steroids 517
triterpenes 524
- secondary amines 360
- secondary bridges of von Baeyer bridged
polycycles 118
- secosteroids 517, 527
- 'selane' 63, 223
- 'selanyl-' 347
- 'selena-' 543(T)
- '-selenal' 24(T), 327
- 'selenanthrene' 91(T)
- 'selenate' 238
- 'selenazole' 79
- 'selenazolidine' 79
- '-selenenamide' 298(T)
- '-selenenic acid' 21(T), 223
- selenenic acids 223
seniority 20(T)
- 'seleneno-' 21(T), 153, 223
- '-selenenyl', acid halide suffix 286(T)
- 'selenic acid' 238
- selenic acids, seniority 21(T)
- 'selenide' 36
anion 237
nonstandard valences 594
pseudoketones 339
- 'selenido-' 36
nonstandard valences 594
pseudoketones 339
- '2H-selenin' 74
- '-seleninamide' 298(T)
- '-seleninic acid' 21(T), 223
- seleninic acids 223
seniority 20(T)
- 'selenino-' 21(T), 153, 223
- 'seleninyl', acid halides 290
- '-seleninyl', acid halide suffix 286(T)
- '-seleninyl-' 18(T), 225, 288, 421
- 'selenious acid' 238
- selenious acids, seniority 21(T)
- 'selenite' 238, 271
- selenium compounds, see Se compounds
- selenium-containing oxoacids, see Se-oxo-
acids
- 'seleno-', multivalent substituent 34(T)
- '-seleno', radical name 164
- '-seleno-' 18(T), 225, 288, 421
- selenoanhydrides, see anhydroselenides
- '-selenol' 25(T), 347
- 'selenolo-' 91(T), 102
- '-selenonamide' 298(T)
- 'selenone' 333
- '-selenonic acid' 21(T), 223
- selenonic acids 223
seniority 20(T)
- 'selenonio-' 182
- 'selenonium' 170
- 'selenono-' 21(T), 153, 223
- 'selenonyl', acid halides 290
- '-selenonyl', acid halide suffix 286(T)
- '-selenonyl-' 18(T), 225, 288, 421
- 'selenophene' 73, 91(T)
- 'selenophene-2-yl-' 76
- 'selenothioacetic acid' 215
- '(selenothiocarboxy)-' 215
- '-selenothioic acid' 214
- '9H-selenoxanthene', exception of number-
ing 92(T)
- 'selenoxo-'
acid halides 288
aldehydes 24(T), 327
amides 303, 305
carboxylic acids 217
C-oxoacids 233
esters 275, 276, 278
ketones 25(T), 334ff.
prefix 156f.
radicals 163
- '(selenoxomethyl)-' 24(T)
- 'selenyl'
ligand name 438, 442(T)
radical name 163
- 'selenyl-' 25(T), 153, 347, 350
- '(selenyloxy)-' 219
- 'selinane' 576
- '-selone' 25(T), 333ff., 416
- '(selpuchrate)', incorrect ligand name for
abbreviation 482(T)
- 'semicarbazide' 301, 316, 325
- 'semicarbazido-' 305, 316
- 'semicarbazone' 301, 325, 346
- semicarbazones 23(T), 24(T)
- 'semicarbazono-' 316
- semicolons in sets of locants 49
- 'semioxamazone' 326
- semioxamazones 24(T)
- semisystematic names, see semitrivial names
- semitrivial names, definition 8
- senior, see seniority
- senior chain
determination of molecular-skeleton
parents 42, 46
- seniority (see also choice)
acid halides 285, 289, 290
amides 304, 307
amines 360
anhydrides 257
'ate' names 543(T)
atoms in stereoisomers 566
- B-heterochains with replacement names
401
- carbocycles 426
- carbonic and formic acids 21(T)
- carboxylic acids 19(T)

- central-atom names 543(T)
 central atoms 435, 463
 chains 41
 compound classes 19(T)
 coordination compounds 434
 C-oxoacids 229
 cyanides, isocyanides, and analogs (IUPAC) 321(T)
 definition 8
 element names 543(T)
 esters 267
 functional parents 41
 helix unit 560
 heteroatom syllables 543(T)
 hydrazides 313, 317
 hydrazones 326, 333
 hydrocarbon chains 426
 index names 48
 in the δ convention 597
 ligands
 in coordination compounds 582
 in organometallic compounds 582
 in stereoisomers 560, 561, 566
 molecular-skeleton parents 41
 monosaccharide residues 505
 monosaccharides 496
 monosulfones, monosulfoxides, monosulfides, and analogs with replacement names 420
 multivalent component in polymers 531
 naming of the nonsenior central atom 465
 N-heterochains with replacement names 375
 nonstandard valences 597
 nucleoside or nucleotide residues 512f.
 O-heterochains with replacement names 411
 'onia-' syllables 543(T)
 organometallic compounds 434
 oximes 326, 333
 P- and As-heterochains with replacement names 388
 P- and As-oxoacids 22(T), 243
 parent component 89(T), 91(T)
 parent substituents 41, 153
 peroxides 411
 peroxy acids with suffix 19(T)
 polyoxides 411
 replacement names 61
 ring assemblies 141
 rings 42ff.
 S-, Se-, and Te-heterochains with replacement names 420
 Sb- and Bi-heterochains with replacement names 394
 set of locants 49
 Si-, Ge-, Sn-, and Pb-heterochains with replacement names 407
 Si, Ge, Sn, and Pb compounds 403
 stereoparents 41
 sulfonic acids and analogs 19(T)
 'sulfoximine' and 'sulfilimine' 376
 'sulfur diimide' and 'sulfur triimide' 377
 'unexpressed amides' 297, 313
 senior ring structure
 C compounds 426
 definition 8
 determination of molecular-skeleton parents 42ff.
 '(sep)', ligand-name abbreviation 482(T)
 'septi-' 539
 sequence rules 564, 582
 '(ser)', ligand-name abbreviation 482(T)
 '(serinato)', ligand name for abbreviation 482(T)
 'serine'/'seryl-' 211, 491
 sesquiterpenes 522
 sesterpenes 523
 'sexi-' 539
 Si compounds 403
 general naming 13
 seniority 27(T)
 Si-heterochains 405
 Si-heterocycles 403
 Si-oxoacids 253
 seniority 23(T)
 Si-containing fused polycycles 95, 114
 sign
 ξ , definition 2
 >, definition 2
 ~, definition 2
 Si-heteromonocycles 82ff.
 'sila-' 543(T)
 'silacyclohexane' 78(T)
 'silane' 27(T), 63, 405
 'silane, monoprotonated' 170
 'silane ion(1-)' 188
 'silan(o)-', bridge name 127(T)
 'silanthrene' 91(T), 114
 silathianes 65
 silazanes 65
 'silicate' 190, 253, 271
 silicic acids
 anhydrides 259
 formal acid halides 292
 formal amides 308
 formal hydrazides 318
 salts 253
 seniority 23(T)
 Si-oxoacids 253
 'silicide' 188
 silicon compounds, see Si compounds
 silicon-containing oxoacids, see Si-oxoacids
 'siliconium' 170
 siloxanes 65
 polymers 531
 'silyl-' 64, 405
 'silylene-' 405
 'silyldiyl-' 405
 '(silyloxy)-' 406
 'N-silylsilanamine' 27(T)
 skew line 583
 Sn compounds 403, 458
 seniority 27(T)
 stereodescriptors 582, 585
 Sn-heterochains 405
 Sn-heterocycles 403
 'sodio-' 436
 software
 nomenclature 1, 537
 POLCYC for von Baeyer bridged-polycycle names 117
 'solanidane' 488, 518
 solvates, lit. 536
 'sorbic acid'/'sorboyl-' 206
 'sorbose' 495
 specialist names (see also specialist nomenclatures), definition 8
 specialist nomenclatures (see also specialist names)
 collection 487
 general naming 13
 specification of the configuration 559
 'spiro-' 133, 135, 541
 spiro atom, locant pair 136
 'spirobi-' 136
 spiropolycycles 133
 'added' indicated H atom 551
 indicated H atom 548
 with carbomonocycle or heteromonocycle components 133
 with fused-polycycle components or von Baeyer bridged-polycycle components 135
 with identical components 136
 spiropolycycle substituents, prefixes 134, 138, 149, 150
 spiro polymers 532
 'spiroiolane' 518
 spirostanes 516
 'squalene' 523
 'SR', stereodescriptor 572
 SRU, see structural repeating unit
 standard valences 543(T), 593
 'stanna-' 543(T)
 'stannane' 27(T), 63, 405
 'stannan(o)-', bridge name 127(T)
 stannathianes 65
 'stannyl-' 64, 405
 'stannylene-' 405
 'stannylidyne-' 405
 'starch' 507
 'stearamide' 301
 'stearic acid'/'stearoyl-' 204
 stereodescriptors 571
 ' α -D' or ' α -L' 498
 ' α ' or ' β '
 CA stereodescriptors until 1999 573ff.
 citation in names 572
 meso ring structures 573
 steroids 516, 571
 terpenes 520, 571
 ' β -D' or ' β -L' 498
 ' Δ ' or ' Λ ', determination 583
 ' ξ '
 steroids 516, 571
 terpenes 520, 571
 '(\pm)' 572
 amino acids 210, 490
 'anti' or 'syn'
 CA stereodescriptors until 1999 573ff.
 citation in names 572
 von Baeyer bridged polycycles 120, 573
 'aR' or 'aS' 561
 carbohydrates 494ff., 498
 CA stereodescriptors until 1999 573ff.
 'cisoid' or 'transoid' 573
 'cis' or 'trans'
 by IUPAC 573
 CA stereodescriptors until 1999 573ff.
 citation in names 572
 monocycles and ring assemblies 573
 citation
 in index names 572
 in names (general) 572
 in names of organometallic and coordination compounds 582
 'C' or 'A', determination 583
 cyclitols 509
 'd', obsolete 572
 definition 8
 'D' or 'L'
 amino acids 210, 490, 571
 carbohydrates 494, 571
 cyclitols 509
 peptides 571
 'E'/'Z' 572
 'endo' or 'exo'
 CA stereodescriptors until 1999 573ff.
 citation in names 572
 von Baeyer bridged polycycles 120, 573
 'E' or 'Z'
 assignment of configuration 561
 CA stereodescriptors until 1999 574ff.
 citation in names 572
 hydrazones 330, 341
 hydrocarbon chains 55
 imines 367
 oximes 329, 340
 'l', obsolete 572
 locants 572
 'M' or 'P'
 assignment of configuration 560
 citation in names 571

- stereodescriptors (cont.)
 'MP' or 'PM' 572
 '(+)' or '(-)' 572
 'partial'
 CA stereodescriptors until 1999 574ff.
 'pR' or 'pS' 561
 'r', 'c', and 't' 573
 'R*' or 'S*'
 by IUPAC 572
 CA stereodescriptors until 1999 573ff.
 'rac' 573
 'rel'
 citation in names 572
 meso compounds 572
 'R' or 'S'
 assignment of configuration 560
 CA stereodescriptors until 1999 573ff.
 citation in names 571
 stereogenic central atom, determination 583
 'RS' or 'SR' 572
 'stereoisomer' 574, 591
 steroids 516
 terpenes 520
- stereogenic axis
 assignment of configuration 560f.
 definition 559
 sequence rules 567
 stereodescriptors 'aR' or 'aS' 561
- stereogenic center
 assignment of configuration 560
 definition 559
 sequence rules 566
- stereogenic double bond
 assignment of configuration 561
 definition 560
 sequence rules 568
- stereogenic units 559
 'stereoisomer' 572, 574, 591
 stereoisomers 557
 stereomodel 558
- stereoparent names
 alkaloids 487, 489
 amino acids 210, 490
 bile pigments 530
 carbohydrates 494
 carotenoids 524
 cyclitols 509
 definition 8
 general naming 14
 location of drawings of formulas 487
 nucleosides 510
 nucleotides 511
 porphyrins 529
 seniority 41
 stereodescriptors 571
 steroids 516
 terpenes 520
 vitamins 526
- stereoparents (see also stereoparent names),
 definition 6
- steroids **516**
 stereodescriptors 571
 'stiba-' 543(T)
 'stibane' 63, 392
 'stibinane' 78(T)
 'stibine' 26(T), 63, 392
 'stibine imide' 26(T), 367, 393
 'stibine ion(1-)' 188
 'stibine oxide' 26(T), 393
 'stibine sulfide' 26(T)
 'stibine sulfide' and analogs 393
 'stibinic acid' 395
 'stibinic-' 393
 'stibinimine' 393
 'stibinin' 78(T)
 'stibino', ligand name 443(T)
 'stibino-' 64, 392
 'stibo-' 393
 'stibonio-' 182
 'stibonium' 170
 'stibono-' 393
 'stiborane' 392
 'stiboso-' 393
 'stibylene', ligand name 443(T)
 'stibylene-' 392
 'stibylidyne-' 392
 '(stien)', ligand-name abbreviation 482(T)
 'stigmastane' 516
 'stilbene' 69
 '(stilbenediamine)', incorrect ligand name
 for abbreviation 482(T)
 '(stilbenediaminetetraacetato)', ligand name
 for abbreviation 482(T)
 STN[®] network 1
 Stock number, see oxidation number
 stoichiometric proportions of coordination
 ions 434
 'streptamine' 509
 structural repeating unit 531
 structure descriptor in coordination names
 467
 'strychnidine' 488
 'stypnate' 193
 'stypnic acid' 351
 'styrene' 69
 'styryl-' 69
 'suberic acid'/'suberoyl-' 204
- substituents
 composite
 alphabetical order of prefixes 53
 multiplying affixes 539
 compulsory prefixes **18**(T)
 definition 8
 general naming 13
 simple, multiplying affixes 539, 540(T)
 substituting groups, definition 8
 substitutive names
 acyclic ethers 412
 acyclic monosulfones, monosulfoxides,
 monosulfides, and analogs 420
 definition 8
 substitutive nomenclature (see also substitutive
 names) **29**
 general naming 14
 subtractive names, definition 8
 subtractive nomenclature (see also subtractive
 names) **37**
 subtractive prefixes, alphabetical order 53
 'succinamic acid' 214
 'succinamide' 301
 'succinamic acid' 214
 'succinic acid'/'succinyl-' 204
 'succinimide'/'succinimido-' 296
 'succinimidoyl-' 217
 'sucrose' 505
 suffixes
 compound classes 19ff.(T)
 conjunctive nomenclature 31
 definition 8
 for identical structure units, multiplicative
 nomenclature 32
 general naming 13
 locants 49
 multiplying affixes 539
 substitutive nomenclature 29
 'sulfamate' 190, 239, 271
 'sulfamic acid' 21(T), 239
 'sulfamide' 306
 'sulfamoyl' 239
 'sulfamoyl-' 240
 'sulfamoyl chloride' 290
 '(sulfamoyloxy)' 277
 'sulfane' 63, 223, 416
 'sulfanilic acid' 223, 492
 'sulfanyl-' 347
 'sulfate' 190, 237, 271
 'sulfato-' 240, 276
 '[sulfato(2-)]', ligand name 445(T)
 '-sulfenamide' 298(T)
 sulfene 343
 'sulfene' 326, 333
 '-sulfenic acid' 21(T), 223
 sulfenic acid esters
 formal di- or trichalcogenides 418
 formal thioperoxides 410
 sulfenic acids **223**
 formal hydrazides 314
 seniority 20(T)
 'sulfeno-' 21(T), 153, 223, 355
 '-sulfenoperoxoic acid' 19(T), 226
 sulfenoperoxoic acids and analogs 226
 sulfenothioic acids and analogs 224
 '-sulfenyl', acid halide suffix 286(T)
 'sulfide' **36**
 anion 237
 nonstandard valences 594
 pseudoketones 339
 S-, Se-, and Te-heterocycles 416
 sulfides
 functional-class nomenclature 38
 sulfides and analogs 27(T), 419f.
 'sulfido-' **36**
 nonstandard valences 594
 pseudoketones 339
 S-, Se-, and Te-heterocycles 416
 'sulfilimine' 26(T), 376, 421
 'sulfimide' 26(T), 378, 422
 sulfimides 339
 '-sulfinamide' 298(T)
 sulfine 343
 'sulfine' 326, 333
 '-sulfinic acid' 21(T), 223
 sulfinic acids **223**
 seniority 20(T)
 sulfinimidic acids and analogs 224f.
 'sulfinimidoyl-' 376
 'sulfino-' 21(T), 153, 223
 sulfinohydrazonic acids and analogs 224f.
 sulfinohydroxamic acids 225
 '-sulfinoperoxoic acid' 19(T), 226
 sulfinoperoxoic acids and analogs 226
 '-sulfinothioamide' and analogs 298(T)
 sulfinothioic acids and analogs 224
 '-sulfinothioyl' and analogs, acid halide suf-
 fixes 286(T)
 'sulfinyl-', multivalent substituent 34(T)
 '-sulfinyl-' 18(T)
 '(sulfinylamino)-' 378
 '-sulfinyl' and analogs, acid halide suffixes
 286(T)
 '-sulfinyl-' and analogs
 acid halides 288
 amides 303, 306
 esters 275, 276, 278
 monosulfoxides and analogs 421
 S-, Se-, and Te-oxoacids 240
 sulfenic acids and analogs 225
 'sulfite' 190, 238, 271
 '[sulfito(2-)]', ligand name 445(T)
 'sulfo', ligand name 442(T)
 'sulfo-' 20(T), 153, 223, 278
 '(sulfoamino)-' 239, 240, 306
 'sulfolane' 339, 422
 '-sulfonamide' 298(T)
 '-sulfonamido-' 303
 sulfones 339
 functional-class nomenclature 38
 general naming 13
 sulfones and analogs 27(T), 419f.
 '-sulfonic acid' 20(T), 223
 sulfonic acids **223**
 seniority 20(T)
 sulfonic acids and analogs, salts 227

- '-sulfonimidamide' 298(T)
 '-sulfonimidic acid' 20(T), 225
 sulfonimidic acids and analogs 224f.
 'sulfonimidoyl-' 376
 '-sulfonimidoyl' and analogs, acid halide suffixes 286(T)
 '-sulfonimidoyl-' and analogs
 acid halides 288
 amides 303, 306
 esters 275, 276, 278
 S-, Se-, and Te-oxoacids 240
 sulfonic acids and analogs 225
 'sulfonio-' 182
 'sulfonium' 170
 '-sulfonohydrazide' 314
 '-sulfonohydrazonamide' 298(T)
 '-sulfonohydrazonic acid' 20(T), 225
 sulfonohydrazonic acids and analogs 224f.
 '-sulfonohydrazonimidic acid' 20(T), 225
 '-sulfonohydrazonoyl' and analogs, acid halide suffixes 286(T)
 '-sulfonohydrazonoyl-' and analogs
 acid halides 288
 amides 303, 306
 esters 275, 276, 278
 S-, Se-, and Te-oxoacids 240
 sulfonic acids and analogs 225
 sulfonohydroxamic acids 225
 '-sulfonoperoxoic acid' 19(T), 226
 sulfonoperoxoic acids and analogs 226
 '-sulfonothioamide' and analogs 298(T)
 '-sulfonothioic acid' 20(T), 224
 sulfonothioic acids and analogs 224
 '-sulfonothioyl' and analogs, acid halide suffixes 286(T)
 '-sulfonothioyl-' and analogs
 acid halides 288
 amides 303, 306
 esters 275, 276, 278
 S-, Se-, and Te-oxoacids 240
 sulfonic acids and analogs 225
 'sulfonyl-', multivalent substituent 34(T)
 '-sulfonyl-' 18(T)
 '(sulfonylamino)-' 378
 '-sulfonyl' and analogs, acid halide suffixes 286(T)
 '-sulfonyl-' and analogs
 acid halides 288
 amides 303, 306
 esters 275, 276, 278
 monosulfones and analogs 421
 S-, Se-, and Te-oxoacids 240
 sulfonic acids and analogs 225
 '(sulfooxy)-' 240, 276
 sulfoxides 339
 functional-class nomenclature 38
 general naming 13
 sulfoxides and analogs 27(T), 419f.
 'sulfoximine' 26(T), 376, 421
 sulfoximines 339
 'sulfoxonium' 170
 'sulfoxylylate' 238
 'sulfoxylic acid' 238
 sulfoxylic acids, seniority 21(T)
 'sulfuramidic acid' 239
 sulfur compounds, see S compounds
 sulfur-containing oxoacids, see S-oxoacids
 'sulfur diimide' 19(T), 26(T), 377, 422
 'sulfuric acid' 237
 sulfuric acids, seniority 21(T)
 'sulfurous acid' 238
 sulfurous acids, seniority 21(T)
 'sulfur triimide' 26(T), 377, 422
 'sulfuryl', acid halides 290
 'sulfuryl hydrazide' 317
 '-sultam' 295
 sultams 23(T), 295
 '-sultone' 268
 sultones 23(T), 268
 'superoxido', ligand name 443(T)
 sydnone imines 196
 sydnones 196
 'syn'
 CA stereodescriptors until 1999 573ff.
 citation in names 572
 von Baeyer bridged polycycles 120, 573
 systematic names, definition 8
 't' 599(T)
 stereodescriptor 573
 'T' 599(T)
 '(tacn)', ligand-name abbreviation 472(T), 482(T)
 'tagatose' 495
 'talo-' 495
 'talose' 495
 '(tap)', ligand-name abbreviation 482(T)
 '(tart)', ligand-name abbreviation 439, 482(T)
 'tartaramide' 301
 'tartaric acid'/'tartaroyl-' 209
 'tartrate' 192
 '(tartrato)', ligand name for abbreviation 439, 482(T)
 'tartronic acid'/'tartronoyl-' 209
 'taurine' 223, 492
 'tauryl-' 226
 tautomers
 carbohydrazonic and carboximidic acids 216
 carbothioic acids and chalcogen analogs 215
 C-oxoacids with infixes in the name 229, 230
 lit. (CA) 536
 P- and As-oxoacids with infixes in the name 245
 sulfonohydrazonic and sulfonimidic acids and analogs 224, 225
 sulfonothioic acids and analogs 224
 'taxane' 522
 'TCNE' 322
 '(tcne)', ligand-name abbreviation 482(T)
 'TCNQ' 323
 '(tcnq)', ligand-name abbreviation 482(T)
 'T_d', nucleoside abbreviation 511
 '(tdt)', ligand-name abbreviation 482(T)
 Te compounds 415
 seniority 27(T)
 Te-heterochains 416ff.
 Te-heterocycles 415
 Te-oxoacids 237
 salts 237
 seniority 21(T)
 '(tea)', ligand-name abbreviation 482(T)
 'tellane' 63, 223
 'tellanyl-' 347
 '-tellone' 25(T), 333ff., 416
 'tellura-' 543(T)
 '-tellural' 25(T), 327
 'tellurate' 238
 'tellurazole' 79
 'tellurazolidine' 79
 '-tellurenamide' 298(T)
 '-tellurenic acid' 223
 tellurenic acids 223
 'tellureno-' 223
 '-tellurenyl', acid halide suffix 286(T)
 'telluric acid' 238
 telluric acids, seniority 21(T)
 'telluridato', ligand name 444
 'telluride' 36
 nonstandard valences 594
 pseudoketones 339
 'tellurido-' 36
 nonstandard valences 594
 pseudoketones 339
 '2H-tellurin' 74
 '-tellurinamide' 298(T)
 '-tellurinic acid' 223
 tellurinic acids 223
 'tellurino-' 223
 '-tellurinyl', acid halide suffix 286(T)
 '-tellurinyl-' 18(T), 225, 288, 421
 tellurium compounds, see Te compounds
 tellurium-containing oxoacids, see Te-oxoacids
 'telluro-', multivalent substituent 34(T)
 '-telluro', radical name 164
 '-telluro-' 18(T), 225, 288, 421
 telluroanhydrides, see anhydrotellurides
 '-tellurolo' 25(T), 347
 'tellurolo-' 91(T), 102
 '-telluronamide' 298(T)
 'tellurone' 333
 '-telluronic acid' 21(T), 223
 telluronic acids 223
 seniority 20(T)
 'telluronio-' 182
 'telluronium' 170
 'tellurono-' 21(T), 223
 '-telluronyl', acid halide suffix 286(T)
 '-telluronyl-' 18(T), 225, 288, 421
 'tellurophene' 73, 91(T)
 'tellurophene-2-yl-' 76
 'telluroxo-'
 acid halides 288
 aldehydes 25(T), 327
 amides 303, 305
 carboxylic acids 217
 C-oxoacids 233
 esters 275, 276, 278
 ketones 25(T), 334ff.
 prefix 156f.
 radicals 163
 '(telluroxomethyl)-' 25(T)
 'telluryl'
 ligand name 438, 442(T)
 radical name 163
 'telluryl-' 25(T), 153, 347, 350
 telomers 534
 'ter-' 141, 539
 'terephthalamide' 301
 'terephthalic acid'/'terephthaloyl-' 205
 terpenes 520
 carbomonocycles 67
 carbopolycycles 117
 stereodescriptors 571
 'terpinolene' 521
 '(terpy)', ligand-name abbreviation 482(T)
 '(terpyridine)', ligand name for abbreviation 482(T)
 'tert-' 541
 tertiary amines 360
 '(2,3,2-tet)', ligand-name abbreviation 482(T)
 '(3,3,3-tet)', ligand-name abbreviation 482(T)
 'tetra-' 540(T)
 '(1,5,9,13-tetraazatridecane)', ligand name for abbreviation 482(T)
 '(1,4,8,11-tetrazaundecane)', ligand name for abbreviation 482(T)
 'tetraconta-' 540(T)
 'tetracos-' 540(T)
 'tetracta-' 540(T)
 'tracyanoethylene' 322
 '(tracyanoethylene)', ligand name for abbreviation 482(T)
 'tracyanoquinodimethane' 323
 '(tracyanoquinodimethane)', ligand name for abbreviation 482(T)
 'tetradeca-' 540(T)
 '(tetraethylenepentamine)', ligand name for abbreviation 482(T)
 'tetrahedro' 467

- '(tetrahydrofuran)', ligand name for abbreviation 482(T)
- '(tetrahydrothiophene)', ligand name for abbreviation 482(T)
- 'tetrakis-' 539
- 'tetalia-' 540(T)
- tetraligant atoms 561, 584
- '(5,10,15,20-tetramesitylporphyrin-21,23-diido)', ligand name for abbreviation 484(T)
- 'tetraoxide' 410
- '-tetraoxy-' 410
- 'tetraphenylene' 90(T)
- tetrapyrroles 529
- '(5,10,15,20-tetra-*p*-tolylporphyrin-21,23-diido)', ligand name for abbreviation 484(T)
- 'tetrazane-1,4-diyl-', multivalent substituent 34(T)
- '(tetren)', ligand-name abbreviation 482(T)
- '(tfa)', ligand-name abbreviation 482(T)
- 'thalidomide' 309
- 'thebaine' 489
- 'thebenidine' 94(T)
- 'thenoic acid'/ 'thenoyl-' 205
- '(thenoyltrifluoroacetato)', ligand name for abbreviation 484(T)
- 'thenyl-' 75
- 'thevinone' 489
- '(thf)', ligand-name abbreviation 482(T)
- 'thia-' 541, 543(T)
- '-thial' 24(T), 327
- 'thiamine' 526
- 'thianthrene' 91(T)
- 'thiazole' 79
- '(thiazole)', ligand name for abbreviation 484(T)
- 'thiazolidine' 79
- 'thieno-' 91(T), 102
- 'thienyl-' 75, 91(T), 150
- '-thien-x-yl-' 112, 150
- 'thio-'
- monosaccharides 503
 - multivalent substituent 34(T)
 - nucleosides 510, 512
- '-thio', radical name 164
- 'thioacetaldehyde' 328
- thioacetals 419
- '-thioacetamide' 302
- 'thioacetic acid' 215
- '(thioacetyl)-' 217
- thioaldehydes and analogs 325
- seniority 24(T)
- '-thioamide' and analogs 298(T)
- 'thio-' and analogs, affixes in names
- of boronic and borinic acids 255
 - of S-, Se-, and N-oxoacids 238
 - of silicic acids 253
- '-thio-' and analogs
- acid halides 288
 - amides 303
 - esters 274ff.
 - monosulfides and analogs 421
 - prefixes 18(T)
 - S-, Se-, Te-, and N-oxoacids' 240
 - sulfenic acids and analogs 225
- '-thio-' and analogs, infixes in names
- of carboxylic acids 214
 - of C-oxoacids 229
 - of P- and As-oxoacids 245
 - of sulfonic acids and analogs 224
- 'thioanhydride' and analogs 258, 261
- thioanhydrides, see anhydrosulfides
- 'thiobenzoic acid' 215
- '(thiobenzoyl)-' 217
- '(thiocarbamoyl)-' 233
- '(thiocarbamoyl)-' and analogs 298(T)
- '(thiocarbonyl)-' and analogs 157, 217, 233, 337
- '(thiocarboxy)-' 20(T), 215
- thiocarboxylic acids and analogs, see carboxylic acids and analogs
- 'thiochromane' and chalcogen analogs 87
- 'thiochromene' and chalcogen analogs 92(T)
- thiocyanates and analogs, functional-class names 321(T)
- 'thiocyanato-' and analogs 321(T)
- acid halides 288
 - affixes in S-, Se-, and N-oxoacid names 238
 - amides 305
 - C-oxoacids 233
 - esters 276
 - P- and As-oxoacids 248
 - S-, Se-, and Te-oxoacids 240
- 'thiocyanic acid' 21(T)
- 'thiocyanic acid' and analogs 230, 287
- thioesters, formal oxides 271, 273
- thioethers, of peptides 492
- 'thioformic acid' 231
- '(thioformyl)-' and analogs 157, 233, 327
- 'thiohydroperoxide' 25(T), 355
- thiohydroperoxides 355
- seniority 25(T)
- thiohydroxylamine and analogs
- alcohols 350
 - amines 363
 - N-heterochains 375
 - seniority 26(T)
- 'thiohydroxylamin-S-sulfonic acid' 239
- 'thiohypochlorous acid' 287, 289, 291
- '-thioic acid' 20(T), 214
- '6-thioinosine' 511
- thioketals 419
- thioketones and analogs 333
- seniority 25(T)
- '-thiol' 25(T), 347
- '-thiolate' and analogs 191
- '-thiolato' and analogs, ligand names 444
- thiols and analogs 347
- 'Class-I' 268f.
 - 'Class-II' 268
 - common 268f.
 - exotic 268
 - seniority 25(T)
- 'thiomorpholine' 75
- '-thionato' and analogs, ligand names 444
- '-thione' 25(T), 333ff.
- '(thionitroso)-' 240, 276, 306
- 'thionitrosyl', acid halides 290
- 'thionyl', acid halides 290
- 'thionyl imide' 26(T), 378, 422
- thionyl imides 339
- thioorthocarboxylic acid ester 419
- 'thioorthoformate' 421
- 'thiooxime' 329, 340
- 'thioperoxide' 410
- '-(thioperoxo)-' and analogs, infixes in names
- of carboxylic acids 218
 - of C-oxoacids 230
 - of P- and As-oxoacids 245
 - of sulfonic acids and analogs 226
- '-(thioperoxoic) acid' 218
- 'thiophene' 73, 91(T)
- 'thiophenol' 349
- '2*H*-thiopyran' 74, 92(T)
- 'thiopyrylium' 179
- 'thiosalicylic acid' 209, 351
- '(thioseleneno)-' 153, 224
- thiosilicic acids, seniority 23(T)
- '(thiosulfeno)', ligand name 442(T)
- '(thiosulfeno)-' 153, 224
- '(thiosulfino)-' 224
- '(thiosulfo)-' 20(T), 224
- thiosulfonic acids, see sulfonylthioic acids and analogs
- 'thiosulfuryl', acid halides 290
- 'thiothionyl', acid halides 290
- 'thiouracil' 309
- 'thiouram disulfide' 304, 418
- 'thiouram monosulfide' 304, 418
- 'thiourea' and analogs 230, 304
- '(thiox)', ligand-name abbreviation 482(T)
- '(thioxane)', ligand name for abbreviation 482(T)
- '9*H*-thioxanthene', exception of numbering 92(T)
- 'thioxo-'
- acid halides 288
 - aldehydes 24(T), 327
 - amides 303, 305
 - carboxylic acids 217
 - C-oxoacids 233
 - esters 275, 276, 278
 - ketones 25(T), 334ff.
 - prefix 156f.
 - radicals 163
- 'thioxo' and analogs, ligand names 442(T)
- '(thioxomethyl)-' 24(T)
- '(thioxomethyl)-' and analogs 233, 327
- '-thioyl' and analogs, acid halide suffixes 286(T)
- '-thioyl-' and analogs, acyl prefix 217
- '(thr)', ligand-name abbreviation 482(T)
- 'threo-' 496
- '(threoninato)', ligand name for abbreviation 482(T)
- 'threonine'/ 'threonyl-' 212, 491
- 'threose' 495
- '(tht)', ligand-name abbreviation 482(T)
- 'thujane' 520
- 'thujene' 521
- '(thy)', ligand-name abbreviation 484(T)
- 'thymidine' 511
- 'thymidylic acid' 511
- 'thymidylyl-' 512
- 'thymine' 309, 510
- '(thymine)', ligand name for abbreviation 484(T)
- 'thymol' 347
- 'thymyl-' 70
- 'thyronine' 212, 492
- 'thyroxine' 214, 492
- tin compounds, see Sn compounds
- '(tmen)', ligand-name abbreviation 484(T)
- '(tmp)', ligand-name abbreviation 484(T)
- '(tn)', ligand-name abbreviation 484(T)
- 'tocopherols' 528
- '(*m*-Tol)', ligand-name abbreviation 484(T)
- '(*o*-Tol)', ligand-name abbreviation 484(T)
- '(*p*-Tol)', ligand-name abbreviation 484(T)
- 'toluene' 69
- 'toluenedisulfonic acid' 227
- 'toluenesulfonamide' 302
- 'toluenesulfonic acid' 223
- 'toluic acid'/ 'toluoyl-' 205
- 'toluidine' 360
- 'toluidino-' 360
- '(*m*-tolyl)', ligand name for abbreviation 484(T)
- '(*o*-tolyl)', ligand name for abbreviation 484(T)
- '(*p*-tolyl)', ligand name for abbreviation 484(T)
- 'tolyl-' 69
- torsion angle 560, 561
- 'tosyl-' 226, 287, 421
- 'tosylate' 226
- '(Tp)', ligand-name abbreviation 484(T)
- '(Tp)', ligand-name abbreviation 484(T)
- '(Tp*)', ligand-name abbreviation 484(T)
- '(Tp^{M2})', ligand-name abbreviation 484(T)
- '(tpp)', ligand-name abbreviation 484(T)
- '*trans*'
- by IUPAC 573
 - CA stereodescriptors until 1999 573ff.
 - citation in names 572
 - monocycles and ring assemblies 573

- transformation conventions, CIP system 561ff., 584
- trans* maximum difference of priority numbers 471, 582
- '*trans*' not senior to '*cis*', CIP system 566
- '*transoid*', stereodescriptor 573
- '(tren)', ligand-name abbreviation 484(T)
- 'tri-' 540(T)
- 'triaconta-' 540(T)
- '(1,2,3-triaminopropane)', ligand name for abbreviation 482(T)
- '*triangulo*' 467
- 'triarsine' 26(T)
- 'triarsorane' 26(T)
- '(1,4,7-triazacyclononane)', ligand name for abbreviation 472(T)
- 'triazane' 26(T)
- 'triaz-1-ene' 26(T)
- 'tribenzamide' 301
- 'tribismuthine' 26(T)
- 'trichothecane' 522
- 'tricoso-' 540(T)
- 'tricta-' 540(T)
- 'tricyclo-' 117
- 'trideca-' 540(T)
- '(trien)', ligand-name abbreviation 439, 484(T), 588
- '(triethanolaminato)', ligand name for abbreviation 482(T)
- 'triethylamine' 361
- '(triethylenetetramine)', ligand name for abbreviation 439, 484(T), 588
- '(triethylenetetraminehexaacetato)', ligand name for abbreviation 484(T)
- 'triflate' 226, 406
- '(trifluoroacetylacetonato)', ligand name for abbreviation 478(T)
- 'trilia-' 540(T)
- 'trimethylene-' 56
- '(trimethylenediamine)', ligand name for abbreviation 484(T)
- 'trimethylsilyl triflate' 406
- 'trimol. dianhydride' 259
- 'trinaphthylene' 90(T)
- '1*H*-trindene' 89(T)
- 'trinorbornane' 521
- 'trinatorane' 520
- 'trioxide' 27(T), 258, 260, 410
- '-trioxy-' 410
- 'triphenodioxazine' 94(T)
- 'triphenodithiazine' 94(T)
- 'triphenylcarbinol' 349
- 'triphenylene' 89(T)
- '(triphos)', ligand-name abbreviation 484(T)
- 'triphosphine' 26(T)
- 'triphosphorane' 26(T)
- '(tris)', ligand-name abbreviation 484(T)
- 'tris-' 539
- trisaccharides 505
- '[tris(2-aminoethyl)amine]', ligand name for abbreviation 484(T)
- 'triselenide' 27(T), 258, 260, 417
- 'triseleno-', multivalent substituent 34(T)
- 'trisilane' 27(T)
- 'tristibine' 26(T)
- 'trisulfide' 27(T), 258, 260, 417
- 'trisulfone' and analogs 27(T), 416
- 'trisulfoxide' and analogs 416
- 'tritelluride' 27(T), 258, 260, 417
- triterpenes 523
- '(1,4,7-trithiacyclononane)', ligand name for abbreviation 472(T)
- 'trithio-', multivalent substituent 34(T)
- '-trithio-' and analogs, prefixes 417
- 'trityl-' 69
- 'trityl alcohol' 349
- 'tritylium' 175
- trivial names
- cross-references to systematic names 487
- definition 8
- trivial syllable 'alka-' 55
- 'tropic acid'/'tropoyl-' 209
- 'tropine' 487
- '(trp)', ligand-name abbreviation 484(T)
- '(tryptophanato)', ligand name for abbreviation 484(T)
- 'tryptophane'/'tryptophyl-' 212, 491
- '(tsalen)', ligand-name abbreviation 484(T)
- '(ttfa)', ligand-name abbreviation 484(T)
- '(ttha)', ligand-name abbreviation 484(T)
- '(ttp)', ligand-name abbreviation 484(T)
- '(tu)', ligand-name abbreviation 484(T)
- '(tyr)', ligand-name abbreviation 484(T)
- '(tyrosinato)', ligand name for abbreviation 484(T)
- 'tyrosine'/'tyrosyl-' 212, 491
- '(tz)', ligand-name abbreviation 484(T)
- 'U', nucleoside abbreviation 511
- '-uida-' 193
- '-uide' 193
- '-ulosaric acid' 497
- ulosaric acids 497
- '-ulose' 496
- uloses 496
- '-ulosonic acid' 497
- ulosonic acids 497
- '-ulosuronic acid' 497
- ulosuronic acids 497
- 'undeca-' 540(T)
- 'undeci-' 539
- 'unexpressed amides'
- amides 297
- general naming 25(T)
- hydrazides 313
- ketones 337
- N-heterocycles 372
- unsaturated bridge termini, indicated H atom 549
- unsaturations
- general naming 13
- hydrocarbon chains 55
- monosaccharides 503
- locants 49, 51
- in von Baeyer bridged polycycles 49, 119
- multiplying affixes 539
- polymers 531
- steroids 517
- subtractive nomenclature 37
- transformation convention in the CIP system 562, 584
- '(ura)', ligand-name abbreviation 484(T)
- 'uracil' 309, 510
- '(uracil)', ligand name for abbreviation 484(T)
- 'urea' 230, 304
- 'ureido-' 305
- 'urethane' 271, 273
- 'ureylene-' 305
- 'uric acid' 309
- 'uridine' 511
- 'uridylic acid' 511
- 'uridylyl-' 512
- '-uronic acid' 497
- '-uronium' (+ E⁺) 174
- uronium ions 173
- 'ursane' 523
- '(val)', ligand-name abbreviation 484(T)
- 'valeric acid'/'valeryl-' 204
- '(valinato)', ligand name for abbreviation 484(T)
- 'valine'/'valyl-' 212, 491
- 'vanillic acid'/'vanilloyl-' 209
- 'vanillin' 331
- 'vasopressin' 493
- 'veatchane' 489
- 'veratraman' 518
- 'veratric acid'/'veratroyl-' 209
- 'veratrole' 414
- 'vincleukoblastin' 489
- 'vinyl-' 56
- 'vinyl alcohol' 348
- 'vinylidene-' 58
- 'vinylum' 176
- 'violanthrene' 87
- 'violaxanthin' 525
- 'vitamin A₁' 522, 526
- 'vitamin A₂' 522, 526
- 'vitamin B' 528
- 'vitamin B₁' 526
- 'vitamin B₂' 526
- 'vitamin B₃' 526
- 'vitamin B₄' 364, 510, 526
- 'vitamin B₅' 214, 492, 526
- 'vitamin B₆' 351, 526
- 'vitamin B₇' 526
- 'vitamin B₉' 493
- 'vitamin B₁₂' 527
- 'vitamin B_c' 493
- 'vitamin C' 495, 527
- 'vitamin D₁' 527
- 'vitamin D₂' 527
- 'vitamin D₃' 527
- 'vitamin D₄' 527
- 'vitamin D₅' 528
- 'vitamin E' 528
- 'vitamin G' 526
- 'vitamin H' 526
- 'vitamin K₁' 528
- 'vitamin K₂' 528
- 'vitamin K₃' 528
- 'vitamin PP' 528
- vitamins 526
- von Baeyer bridged carbopolycycles 117
- von Baeyer bridged heteropolycycles 118
- von Baeyer bridged polycycles 117
- locants of unsaturations 49, 119
- von Baeyer bridged-polycycle substituents, prefixes 120, 149, 150
- von Baeyer names, see von Baeyer bridged polycycles
- vowels 9
- 'X', nucleoside abbreviation 511
- '9*H*-xanthene', exception of numbering 92(T), 112
- 'xanthic acid' 271, 273
- 'xanthine' 309, 510
- xanthophylls 524
- 'xanthosine' 511
- 'xanthylic acid' 511
- 'xanthylum' 179
- 'xanthyl-' 512
- xi descriptor, see stereodescriptors 'ξ'
- 'xylene' 69
- 'xylenyl-' 70
- 'xylidine' 364
- 'xylo-' 494
- 'xylose' 494
- 'xylyl-' 70
- '-yl', radical name 19(T), 161
- '-yl-'
- bridged fused-polycycle substituents 128, 149, 150
- carbomonocycle substituents 67, 148
- cation substituents 182
- fused-polycycle substituents 87, 112, 115, 149, 150

- '-yl-' (cont.)
 - heterochain substituents 62ff., 147
 - heteromonocycle substituents 75, 77, 82, 84, 150
 - hydrocarbon-chain substituents 56, 146
 - mononuclear substituents 145
 - ring-assembly substituents 142, 152
 - spiropolycycle substituents 134, 138, 149, 150
 - von Baeyer bridged-polycycle substituents 120, 149, 150
- '-ylene-'
 - carbomonocycle substituents 68, 148
 - hydrocarbon-chain substituents 56
 - mononuclear substituents 145
- '-ylide', zwitterion 195, 196
- '-ylidene', radical name 161
- '-ylidene-'
 - bridged fused-polycycle substituents 128, 149, 150
 - carbomonocycle substituents 68, 148
 - cation substituents 182
 - fused-polycycle substituents 87, 112, 115, 149, 150
 - heterochain substituents 62ff., 147
 - heteromonocycle substituents 75, 77, 82, 84, 150
 - hydrocarbon-chain substituents 56, 146
 - ring-assembly substituents 142, 152
 - spiropolycycle substituents 134, 138, 149, 150
 - von Baeyer bridged-polycycle substituents 120, 149, 150
- '-yldiyne', radical name 161
- '-yldiyne-'
 - cation substituents 182
 - heterochain substituents 62ff., 147
 - hydrocarbon-chain substituents 56, 146
 - mononuclear substituents 145
- '-ylium'
 - minus H⁻ 175, 176
 - minus OH⁻ 176f.
- '-yliumide', zwitterion 195
- '-yliumuide', zwitterion 195
- '-yliumyl', radical cation 200
- '-yliumyl-', cation (prefix) 182
- '-yne'
 - carbomonocycles 67, 82
 - heterochains 61ff.
 - hydrocarbon chains 55
 - monosaccharides 503
 - polymers 531
 - spiropolycycles 134
 - steroids 517
 - subtractive nomenclature 37
 - von Baeyer bridged polycycles 118
- '-ynyl-'
 - carbomonocycle substituents 67, 148
 - hydrocarbon-chain substituents 56, 146
- '-nylidene-'
 - carbomonocycle substituents 68, 148
 - hydrocarbon-chain substituents 56, 146
- '-nylidyne-', hydrocarbon-chain substituents 56, 146
- 'yohimban' 489

- 'Z'
 - assignment of configuration 561
 - CA stereodescriptors until 1999 574ff.
 - citation in names 572
 - hydrazones 330, 341
 - hydrocarbon chains 55
 - imines 367
 - oximes 329, 340
 - zwitterions 195

